

Firestone Building Products Company, LLC

Material Safety Data Sheet

April 10, 2013

Page: 1

SECTION 1: PRODUCT IDENTIFICATION

Product Name: Enverge™ Thru-Wall Flashing SA (Self-Adhered Membrane)
Chemical Name / Synonym: SBPro™ Thru Wall Flashing SA Membrane
Chemical Family: Mixture
24-Hour Emergency Phone: (800) 424-9300 CHEMTREC
Manufacturer's Name: Firestone Building Products Company, LLC
Manufacturer's Address: 250 West 96th Street, Indianapolis, IN 46260
NFPA Hazard Rating: Health 1, Flammability 1, Reactivity 0
HMIS Hazard Rating: Health 0, Flammability 1, Reactivity 0

SECTION 2: CHEMICAL COMPOSITION

Chemical Name:	Common Name:	CAS #:	% (by wt)	Exposure Limits:
Nonhazardous as per 29 CFR 1910.1200.	None	EPA TSCA Registered	100	None Established

SECTION 3: HAZARD IDENTIFICATION

Primary Route of Exposure: None
Signs and Symptoms of Exposure: No known adverse effects.
Medical Conditions Aggravated by Exposure: None known.
Chronic Effects: No known adverse effects.
Carcinogenicity: None

SECTION 4: FIRST AID MEASURES

First Aid Procedures: No special action necessary.

SECTION 5: FIRE FIGHTING PROCEDURES

Suitable Extinguishing Media: Alcohol foam, carbon dioxide, or dry chemical.
Hazardous Combustion Products: Carbon dioxide, carbon monoxide and partially burned carbon.
Recommended Fire Fighting Procedures: Wear impermeable protective clothing and self-contained breathing apparatus as toxic fumes and vapors may be evolved.
Unusual Fire and Explosion Hazards: Combustion of this product causes dense black smoke. Water may cause frothing.

Firestone Building Products Company, LLC

Material Safety Data Sheet

April 10, 2013

Page: 2

SECTION 6: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled:	Not Applicable
Precautions to Be Taken in Handling and Storing:	Keep away from heat, sparks, and open flames. Store in a clean, dry area in its original unopened packaging at temperatures of 50° F (10° C) – 140° F (60° C), so that it will be 50° F (10° C) or above at the time of application. Storage area should be well ventilated.

SECTION 7: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation:	Use in well ventilated area.
Respiratory Protection:	None required.
Eye Protection:	Safety glasses with side shields may be needed as determined by end-user.
Skin Protection:	Leather or cotton gloves may be required for direct handling.
Other:	None recommended
Work / Hygienic Practices:	Wash exposed skin prior to eating, drinking or smoking and at the end of each shift. Wash contaminated clothing prior to reuse.

SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Black solid membrane with asphalt odor.		
Flash Point:	Not Applicable	Lower Explosive Limit:	None
Method Used:	Not Applicable	Upper Explosive Limit:	None
Evaporation Rate:	Not Applicable	Boiling Point:	None
pH (undiluted product):	Not Applicable	Melting Point:	Unknown
Solubility in Water:	Insoluble	Specific Gravity:	Varies
Vapor Density:	Not Applicable	Percent Volatile:	Unknown
Vapor Pressure:	Not Applicable		

SECTION 9: STABILITY AND REACTIVITY

Thermal Stability:	Stable
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	Heat, sparks, and open flames.

SECTION 10: TRANSPORTATION

Regulatory Agency:	Not Regulated
Proper Shipping Name:	Not Applicable
Hazard Classification:	Not Applicable
Identification Number:	Not Applicable
Labels Required:	Not Applicable
Other Requirements:	Not Applicable

Firestone Building Products Company, LLC

Material Safety Data Sheet

April 10, 2013

Page: 3

SECTION 11: MISCELLANEOUS INFORMATION

Additional Comments:	This product is considered to be a finished article as per 29 CFR 1910.1200 (C) and is, therefore, exempt from the requirements of the Hazard Communication standard.
Date of Previous MSDS:	None. New product.
Changes Since Previous MSDS:	Not applicable.
Telephone Number for Additional Information:	(317) 575-7190

DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.