

1. Product and Company Identification

Material name	Carbon Dioxide L3K®-DR
Version #	01
Issue date	01-16-2013
Revision date	-
Supersedes date	-
CAS #	Mixture
Kit number	290-80-91
Product use	For the in vitro quantitative determination of carbon dioxide in serum and plasma.
Manufacturer information	
Corporate Headquarters	Sekisui Diagnostics, LLC 4 Hartwell Place, Lexington, MA 02421, USA www.sekisuidiagnostics.com Phone: 800-332-1042 Americas 1-760-476-3962
Emergency Telephone Numbers	Europe, Middle East & Africa +1-760-476-3961 Asia Pacific +1-760-476-3960 Access code 333512

2. Hazards Identification

Physical state	Liquid.
Appearance	Pale yellow liquid.
Emergency overview	WARNING Harmful if swallowed. May be slightly irritating to skin and eyes. May cause irritation of respiratory tract. May cause central nervous system effects. May cause damage to the kidneys. May damage the unborn child if large amounts are swallowed.
OSHA regulatory status	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential health effects	
Routes of exposure	Inhalation. Ingestion. Skin contact. Eye contact.
Eyes	May cause eye irritation.
Skin	May cause skin irritation.
Inhalation	In high concentrations, vapors may be irritating to the respiratory system.
Ingestion	Large quantities: Ingestion of ethylene glycol may result in nausea, vomiting, abdominal cramps, blindness, liver damage, irritation, reproductive effects, nerve damage, convulsions, edema of the lung, cardiopulmonary effects (metabolic acidosis), pneumonia and kidney failure which could result in death. The single lethal dose for humans is about 100 ml. Inhalation of high levels of vapors or mists for prolonged periods of time may also result in toxic effects.
Target organs	Eyes. Skin. Central nervous system. Kidney
Chronic effects	Can cause kidney damage. Can cause nervous system damage.
Signs and symptoms	Direct contact with skin and eyes may cause irritation.
Potential environmental effects	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Ethylene glycol	107-21-1	5 - 10
Tris-(hydroxymethyl)aminomethane	77-86-1	0 - 5

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures**First aid procedures****Eye contact**

In case of contact, immediately flush eyes with fresh water for at least 15 minutes while holding the eyelids open. Remove contact lenses if worn. Get medical attention if irritation persists.

Skin contact

For skin contact flush with large amounts of water while removing contaminated clothing.

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion

If material is ingested, immediately contact a poison control center.

Notes to physician

Symptoms may be delayed. Provide general supportive measures and treat symptomatically.

General advice

If you feel unwell, seek medical advice (show the label where possible).

5. Fire Fighting Measures**Flammable properties**

This product is not flammable.

Extinguishing media**Suitable extinguishing media**

Extinguish with water spray, carbon dioxide, dry chemical or material appropriate for the surrounding fire.

Unsuitable extinguishing media

None known.

Protection of firefighters**Specific hazards arising from the chemical**

None known.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Hazardous combustion products

Fire will generate toxic and irritating gases.

6. Accidental Release Measures**Personal precautions**

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions

Do not allow to enter drains, sewers or watercourses.

Methods for containment

Absorb spillage with non-combustible, absorbent material.

Methods for cleaning up

Absorb spill with vermiculite or other inert material. Dispose of waste in accordance with all applicable federal, state, local and provincial environmental regulations, per Section 13.

Other information

Clean up in accordance with all applicable regulations.

7. Handling and Storage**Handling**

Avoid contact with skin and eyes. Wash thoroughly after handling. In case of insufficient ventilation, wear suitable respiratory equipment. Handle and open container with care.

Storage

Store at 2-8°C (35-46°F). Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection**Occupational exposure limits****US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m ³	Aerosol.

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m ³

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
		50 ppm	Vapor.
	STEL	20 mg/m3	Particulate.
	TWA	10 mg/m3	Particulate.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	127 mg/m3	Vapor and mist.
		50 ppm	Vapor and mist.

Mexico. Occupational Exposure Limit Values

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.

Exposure guidelines	Follow standard monitoring procedures.
Engineering controls	Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Provide easy access to water supply and eye wash facilities.
Personal protective equipment	
Eye / face protection	Wear approved safety glasses or goggles.
Skin protection	Wear lab coat or other protective garments. Remove contaminated clothing promptly.
Respiratory protection	Under normal conditions, respirator is not normally required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Appearance	Pale yellow liquid.
Physical state	Liquid.
Form	Liquid.
Color	Pale yellow.
Odor	Not available.
Odor threshold	Not available.
pH	7.6
Vapor pressure	Not available.
Vapor density	Not available.
Boiling point	Not available.
Melting point/Freezing point	Not available.
Solubility (water)	Soluble.
Specific gravity	1.028
Flash point	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability	Stable at normal conditions.
Conditions to avoid	Heat, sparks, flames, elevated temperatures.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Toxicological data

Components	Species	Test Results
Ethylene glycol (CAS 107-21-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	9530 mg/kg
<i>Oral</i>		
LD50	Dog	> 8.81 g/kg
	Rat	5.89 g/kg

Tris-(hydroxymethyl)aminomethane (CAS 77-86-1)

Acute		
<i>Oral</i>		
LD50	Rat	5900 mg/kg

Sensitization Although there is no evidence that the enzyme(s) in this mixture induce specific respiratory hypersensitivity, all proteins are potential respiratory allergens and may result in respiratory sensitization in certain individuals after repeated and/or prolonged inhalation exposure, producing mild to severe symptoms similar to pollen allergy or asthma, including mucous membrane or eye irritation, itching of the skin or eyes, sneezing, nasal or sinus congestion, coughing, and tightness in the chest. These symptoms may develop as late as 12 hours after exposure.

Acute effects May cause discomfort if swallowed.

Local effects May cause eye, skin and respiratory tract irritation.

Chronic effects Ingestion over a long period of time may cause damage to the kidneys and nervous system.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

ACGIH Carcinogens

Ethylene glycol (CAS 107-21-1) A4 Not classifiable as a human carcinogen.

Epidemiology No epidemiological data is available for this product.

Mutagenicity Not classified.

Neurological effects Hazardous by OSHA criteria.

Reproductive effects Not classified.

Symptoms and target organs Direct contact with skin and eyes may cause irritation.

Further information Ingestion of ethylene glycol may result in nausea, vomiting, abdominal cramps, blindness, liver damage, irritation, reproductive effects, nerve damage, convulsions, edema of the lung, cardiopulmonary effects (metabolic acidosis), pneumonia and kidney failure which could result in death. The single lethal dose for humans is about 100 ml. Inhalation of high levels of vapors or mists for prolonged periods of time may also result in toxic effects.

12. Ecological Information

Ecotoxicological data

Components	Species	Test Results
Ethylene glycol (CAS 107-21-1)		
Aquatic		
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>) 8050 mg/l, 96 hours

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulation / Accumulation	Not available.
Partition coefficient	
Ethylene glycol (CAS 107-21-1)	-1.36
Tris-(hydroxymethyl)aminomethane (CAS 77-86-1)	-2.31 (20°C)
Mobility in environmental media	The product is completely soluble in water.

13. Disposal Considerations

Disposal instructions	Contaminated instruments and surfaces should be disinfected in accordance with your employer's chemical-specific and universal/standard precautions. This preparation contains a small amount of sodium azide which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides. If preparation enters drain, flush with a large volume of water to prevent azide build-up.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

TDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations	This mixture is a component of an in vitro diagnostic device regulated by the U.S. Food and Drug Administration. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
-------------------------------	--

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene glycol (CAS 107-21-1)

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Ethylene glycol (CAS 107-21-1) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Ethylene glycol (CAS 107-21-1) Listed.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

Ethylene glycol: 5000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--------------------------	--

Section 302 extremely hazardous substance (40 CFR 355, Appendix A)	No
---	----

Section 311/312 (40 CFR 370)	No
-------------------------------------	----

Drug Enforcement Administration (DEA) (21 CFR 1308.11-15)

Not controlled

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

WHMIS status

Controlled

WHMIS classification

D2A - Other Toxic Effects-VERY TOXIC
D2B - Other Toxic Effects-TOXIC

WHMIS labeling



Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US - California Hazardous Substances (Director's): Listed substance

Ethylene glycol (CAS 107-21-1) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - New Jersey RTK - Substances: Listed substance

Ethylene glycol (CAS 107-21-1) Listed.

US. Massachusetts RTK - Substance List

Ethylene glycol (CAS 107-21-1) Listed.

US. New Jersey Worker and Community Right-to-Know Act

Ethylene glycol (CAS 107-21-1) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

Ethylene glycol (CAS 107-21-1) Listed.

Mexico regulations

This safety data sheet was prepared in accordance with the Official Mexican Standard (NOM-018-STPS-2000).

16. Other Information

Recommended restrictions

Use in accordance with supplier's recommendations.

Further information

HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings

Health: 2*
Flammability: 0
Physical hazard: 0

NFPA ratings

Health: 2
Flammability: 0
Instability: 0

Disclaimer

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Sekisui Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Sekisui Diagnostics has been advised of the possibility of such damages. The information in the sheet was written based on the best knowledge and experience currently available.