



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C5088A

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836
(Toll-free) 1-800-474-6836
(Direct) 1-208-323-2551

Date prepared Aug 17, 2006

MSDS number 166767

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/Substance	CAS Number	% By Weight
Light cyan ink		
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 7.5
Alkyldiol	Proprietary	< 7.5
Diethylene glycol	111-46-6	< 5
Polymer 683-K salt		< 2.5
Light magenta ink		
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 7.5
Alkyldiol	Proprietary	< 7.5
Diethylene glycol	111-46-6	< 2.5
Polymer 683-K salt		< 2.5
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and diarrhea.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone
Contact with skin may result in irritation.

Alkyldiol
Contact with skin may result in irritation.

Polymer 683-K salt
Contact with skin may result in irritation.



MATERIAL SAFETY DATA SHEET

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol

Contact with eyes may result in irritation.

Polymer 683-K salt

Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Alkyldiol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous system.

Polymer 683-K salt

Swallowing large amounts may cause digestive discomfort. Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 200 °F; Pensky-Martens Closed Cup

Auto ignition temperature

Not determined

Hazardous combustion products

Refer to section 10.

Extinguishing media

CO₂, water, dry chemical, or foam

Unsuitable extinguishing media

None known.



MATERIAL SAFETY DATA SHEET

Unusual fire and explosion hazard Combustion generates toxic fumes of fluorides/fluorine compounds; aldehydes; ketones.

Special firefighting procedures None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold. Store away from strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values Exposure limits have not been established for this product.

Personal protective equipment

General

Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH 9.2

Vapor pressure Not determined

Boiling point Not determined

Solubility Soluble in water

Specific gravity 1 - 1.1

Flash point > 200 °F

Vapor density > 1 (air = 1.0)

Evaporation rate Not determined

Flammability Not determined

Oxidizing properties Not determined

Color magenta/cyan

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability Stable under recommended storage conditions.

Hazardous polymerization Will not occur.

Hazardous decomposition products Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., hydrogen fluoride, fluorinated hydrocarbons, aldehydes, ketones

Incompatibility Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.



MATERIAL SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION

Aquatic toxicity

Light cyan ink
LC50/96h/Fathead minnows =greater than 750 mg/l
Light magenta ink
LC50/96h/Fathead minnows =greater than 750mg/L

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Dispose of in compliance with federal, state, and local regulations.
HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. TRANSPORTATION INFORMATION

General

Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

IATA

Proper shipping name Not applicable
Hazard class Not applicable
Packaging exceptions none
Identification number (UN) None
Packing group N/A

15. REGULATORY INFORMATION

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

US federal regulations

US TSCA 12(b): Does not contain listed chemicals.

HMIS ratings

Health: 1
Flammability: 1
Physical hazard: 0

NFPA ratings

Health: 1
Flammability: 1
Instability: 0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

16. OTHER INFORMATION

Other information

This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

Issue date

Aug 17 2006 10:57AM

Revision

1



MATERIAL SAFETY DATA SHEET

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds