



# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Material name** CZ630Series  
**Version #** 03  
**Issue date** 31-Aug-2012  
**Revision date** 11-Nov-2013  
**Product use** Inkjet printing  
**CAS #** Mixture  
**Company identification** Hewlett-Packard Company  
3000 Hanover Street  
Palo Alto, CA 94304-1185  
United States  
Telephone 650-857-5020  
  
Hewlett-Packard health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.  
**Other hazards** Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

## 3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
Carbon black	1333-86-4	< 5
Non-hazardous components	CAS #	Percent
Water	7732-18-5	> 80
Cyclo Amide	Proprietary	< 10
Triethylene glycol	112-27-6	< 5
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 2.5

**Composition comments** This ink supply contains an aqueous ink formulation.  
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).  
  
Carbon black is present only in a bound form in this preparation.

## 4. First Aid Measures

**General advice** No information  
**First aid procedures**  
**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention.

## 5. Fire Fighting Measures

### Extinguishing media

**Suitable extinguishing media** CO<sub>2</sub>, water, dry chemical, or foam

**Unsuitable extinguishing media** None known.

**Fire fighting equipment/instructions** Not available.

**Specific methods** Wear self contained breathing apparatus for fire fighting if necessary.

**Hazardous combustion products** Refer to section 10.

## 6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Other information** Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

## 7. Handling and Storage

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep at temperatures between 15 and 35°C.  
Keep away from excessive heat or cold.  
Keep out of the reach of children.

## 8. Exposure Controls / Personal Protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m <sup>3</sup>	Inhalable fraction.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m <sup>3</sup>

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m <sup>3</sup>

#### US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A

Components	Type	Value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m <sup>3</sup>

**Exposure guidelines** Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area.

### Personal protective equipment

**General** Use personal protective equipment to minimize exposure to skin and eye.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical & Chemical Properties

**Appearance** Not available.

<b>Physical state</b>	Liquid.
<b>Form</b>	Not available.
<b>Color</b>	Black.
<b>Odor</b>	Not available.
<b>pH</b>	8.8 - 9.1
<b>Vapor pressure</b>	Not available.
<b>Boiling point</b>	Not available.
<b>Melting point/Freezing point</b>	Not available.
<b>Solubility (water)</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Flash point</b>	> 200.00 °F (> 93.33 °C) Pensky-Martens Closed Cup
<b>Viscosity</b>	3.2 - 3.3 cP
<b>VOC</b>	42 g/L US EPA Method 24
<b>Other information</b>	For other VOC regulatory data/information see Section 15.

## 10. Chemical Stability & Reactivity Information

<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	No information available
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents.
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides of phosphorus.
<b>Possibility of hazardous reactions</b>	Will not occur.

## 11. Toxicological Information

### Toxicological data

Components	Species	Test Results
Carbon black (CAS 1333-86-4)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 8000 mg/kg
Triethylene glycol (CAS 112-27-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	22460 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 3.9 mg/l, 4 Hours
<i>Oral</i>		
LD50	Mouse	21000 mg/kg
	Rat	15000 - 22000 mg/kg
<i>Other</i>		
LD50	Mouse	7300 - 9500 mg/kg
	Rat	11700 mg/kg

**Carcinogenicity** Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

### ACGIH Carcinogens

CARBON BLACK, INHALABLE FRACTION (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

**Serious eye damage/eye irritation** Not available.**Further information** This ink formulation has not been tested for toxicological effects. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

---

**12. Ecological Information****Aquatic toxicity** No information available.**Ecotoxicological data**

<b>Components</b>		<b>Species</b>	<b>Test Results</b>
Triethylene glycol (CAS 112-27-6)			
Fish	LC50	Fish	60, 96 Hours
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	48.9 - 56 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours

**Ecotoxicity** No information available.**Environmental effects** No information available.**Persistence and degradability** Not available.**Bioaccumulation / Accumulation**

---

**13. Disposal Considerations****Disposal instructions** Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

---

**14. Transport Information****DOT**

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**RID**

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

---

**15. Regulatory Information****US federal regulations** US TSCA 12(b): Does not contain listed chemicals.**Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number**

Not listed.

**Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))**

Not regulated.

**DEA Exempt Chemical Mixtures Code Number**

Not regulated.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA (Superfund) reportable quantity**

None

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Hazard categories</b>	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
<b>SARA 302 Extremely hazardous substance</b>	No
<b>SARA 311/312 Hazardous chemical</b>	No
<b>Other information</b>	VOC content (less water, less exempt compounds) = 276 g/L (U.S. requirement, not for emissions) US EPA Method 24
<b>Other regulations</b>	All chemical substances in this product are notified or exempt from notification under chemical substance notification laws in the following countries: . Australia, Canada, China, European Union, Japan, Korea, Switzerland, USA.

### State regulations

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [ $\leq 10$  MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003 Carcinogenic.

#### US - New Jersey RTK - Substances: Listed substance

Carbon black (CAS 1333-86-4) Listed.

#### US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

#### US. Pennsylvania RTK - Hazardous Substances

Carbon black (CAS 1333-86-4) Listed.

Triethylene glycol (CAS 112-27-6) Listed.

#### US. Rhode Island RTK

Carbon black (CAS 1333-86-4)

Triethylene glycol (CAS 112-27-6)

---

## 16. Other Information

### HMIS® ratings

Health: 1  
Flammability: 1  
Physical hazard: 0

### NFPA ratings

Health: 1  
Flammability: 1  
Instability: 0

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Other information

This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

### Issue date

31-Aug-2012

### This data sheet contains changes from the previous version in section(s):

Hazards Identification: Other hazards  
9. Physical & Chemical Properties: Other information

### Manufacturer information

Hewlett-Packard Company  
3000 Hanover Street  
Palo Alto, California 94304-1112 US  
(Direct) 1-503-494-7199  
(Toll-free within the US) 1-800-457-4209

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds