Safety Data Sheet

Iodine Tincture

www.carolina.com

Section 1 Product Description

Product Name:	Iodine Tincture
Recommended Use:	Science education applications
Synonyms:	Weak Iodine Solution, Tincture of Iodine
Distributor:	Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150
Chemical Information:	800-227-1150 (8am-5pm (ET) M-F)
Chemtrec:	800-424-9300 (Transportation Spill Response 24 hours)

Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER

Flammable liquid and vapor. Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility or the unborn child. Toxic to aquatic life.

GHS Classification:
Skin Sensitisation Category 1, Reproductive Toxicity Category 1A, Serious Eye Damage/Eye Irritation Category 2A, Hazardous to the aquatic environment - Acute Category 2, Flammable Liquid Category 3, Acute Toxicity - Oral Category 4

Other Safety Precautions: IF exposed or concerned: Get medical advice/attention.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%
Water	7732-18-5	47.8
Ethanol	64-17-5	43.26
Sodium Iodide	7681-82-5	2.4
2-Propanol	67-63-0	2.39
Methanol	67-56-1	2.15
Iodine	7553-56-2	2

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation:	In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Eyes:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Ingestion:	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Section 5 Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.

Fire and/or Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide, Iodine and Iodine Compounds

Section 6 Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Ventilate the contaminated area.
Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area.

Section 7 Handling and Storage

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/…/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. Keep container tightly closed in a cool, well-ventilated place. Keep away from oxidizing materials and strong acids. Bond and ground containers when transferring liquid.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed in a cool, well-ventilated place.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8 Protection Information

	ACGIH		OSHA PEL	
Chemical Name	**(TWA)**	**(STEL)**	**(TWA)**	**(STEL)**
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA; 1900 mg/m3 TWA	N/A
Sodium Iodide	0.01 ppm TWA (inhalable fraction and vapor)	N/A	N/A	N/A
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980 mg/m3 TWA	N/A
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260 mg/m3 TWA	N/A
Iodine	0.01 ppm TWA (inhalable fraction and vapor)	0.1 ppm STEL (aerosol and vapor)	N/A	N/A

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE): Lab coat, apron, eye wash, safety shower.

Respiratory Protection: No respiratory protection required under normal conditions of use.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye Protection: Wear chemical splash goggles when handling this product. Have an eye wash station available.

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Butyl rubber, Natural latex,, Neoprene, Nitrile

Section 9 Physical Data

Formula: See Section 3
Molecular Weight: No data available
Appearance: Purple-Yellow Liquid
Odor: Moderate Alcohol Odor
Odor Threshold: No data available
pH: No data available
Melting Point: Estimated -32 C
Boiling Point: Estimated > 79 C
Flash Point: 24 C
Flammable Limits in Air: 3.3 - 19% (ethanol)

Vapor Pressure: No data available
Evaporation Rate (BuAc=1): No data available
Vapor Density (Air=1): No data available
Specific Gravity: < 1
Solubility in Water: Soluble
Log Pow (calculated): -0.32
Autoignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: 10
Percent Volatile by Volume: 47.8%

Section 10 Reactivity Data

Reactivity: Not generally reactive under normal conditions.
Chemical Stability: Stable under normal conditions.
Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Exposure to light. Elevated temperatures
Incompatible Materials: Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials, Strong oxidizing agents, Metals (ferrous), Acetaldehydes, Rust, Strong reducing agents, Magnesium, Sulfur, Rubber, Plastics, Halogens
Hazardous Decomposition Products: Iodine and Iodine Compounds, Carbon dioxide, Carbon monoxide
Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhalation, ingestion, eye or skin contact.
Symptoms (Acute): Respiratory Irritation, Dermititis, Central Nervous System Depression, Dizziness, Hyperthyroidism, Respiratory disorders, Eye disorders, Allergies, Impaired Kidney Function, Cardiovascular system, Central Nervous System Disorders, Pulmonary Edema, Headache, Iodism
Delayed Effects: No data available

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
Sodium Iodide	7681-82-5	Oral LD50 Rat 4340 mg/kg		
2-Propanol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm
Iodine	7553-56-2	Oral LD50 Mouse 22000 mg/kg Oral LD50 Rat 14000 mg/kg		

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Ethanol	64-17-5	Listed	Listed	Listed
2-Propanol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed
Iodine	7553-56-2	Not listed	Not listed	Not listed

Chronic Effects:
Mutagenicity: No evidence of a mutagenic effect.
Teratogenicity: Evidence of a teratogenic effect (birth defect).
Sensitization: Evidence of a sensitization effect.
Reproductive: Evidence of negative reproductive effects.

Target Organ Effects:
Acute: Central Nervous System, Eyes
Chronic: Thyroid, Eyes

Section 12 Ecological Data

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.
Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.
Persistence: Dissolved into water, Biodegradation, Adsorbs to sediment, evaporates into atmosphere.
Bioaccumulation: Bioconcentration is not expected to occur.
Degradability: No data
Other Adverse Effects: Combines with organics, forming new compounds.

Chemical Name	CAS Number	Eco Toxicity
Water	7732-18-5	No data available
Ethanol	64-17-5	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L
Sodium Iodide	7681-82-5	Aquatic LC50 (96h) Rainbow Trout 860 MG/L Aquatic EC50 (48h) Daphnia 0.17 MG/L
2-Propanol	67-63-0	96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L
Methanol	67-56-1	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]
Iodine	7553-56-2	No data available

Section 13 Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.
Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14 Transport Information

Ground - DOT Proper Shipping Name:
UN1987
Alcohols, N.O.S.
(Ethanol, Isopropanol, Methanol)
Class 3
P.G. II

Air - IATA Proper Shipping Name:
UN1987
Alcohols, N.O.S.
(Ethanol, Isopropanol, Methanol)
Class 3
P.G. II

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
2-Propanol	67-63-0	No	No	No	No	No
Methanol	67-56-1	Methanol	No	5000 lb final RQ; 2270 kg final RQ	No	No
Iodine	7553-56-2	No	No	No	No	No

California Prop 65: WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

Section 16 Additional Information

Safety Data Sheet

Revised: 01/06/2015 **Replaces: 01/06/2015** **Printed: 04-21-2015**

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstract Service Number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
DOT	U.S. Department of Transportation
IARC	International Agency for Research on Cancer
N/A	Not Available
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
ppm	Parts per million
RCRA	Resource Conservation and Recovery Act
SARA	Superfund Amendments and Reauthorization Act
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
IDLH	Immediately dangerous to life and health