



1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** K-ETCHANT GEL
- **Article number:** 021
- **Registration number** Not applicable
- **Application of the substance / the preparation** Dental etching composite
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**
Kuraray Europe GmbH
Philipp-Reis-Str. 4,
65795 Hattersheim am Main
Germany
Phone:+49 (0)69 305 35 840
Fax:+49 (0)69 305 35 640
E-mail: dental@kuraray.de
- **Supplier:**
J & S Davis
7"Y j ky qt y "Tqcf."Ugxgpci g.
J gtvhtf uj kt."UI 3"6S U
I tgcvDtkckp
Vgn"- 66/"*2+"365: '969566
Hcz-<- 66/"*2+365: '97: ; 2;
G/o ckn"luf ucrguB lu/f cxkueq0wm
"
- **Further information obtainable from:** Manufacturer or Supplier
- **Emergency telephone number:**
National Poisons information Service (London Centre)
Guy's & St. Thomas' Hospital Trust
Medical Toxicology Unit
Avonley Road
LONDON
SE14 5ER
Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394
Administrative telephone: +44 20 7 771 53 10
Facsimile number: +44 20 7 771 53 09

2 Hazards identification

- **Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**
 GHS05 corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
 - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
 C; Corrosive
R34: Causes burns.
 - **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
 - **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
-
- **Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

Trade name: K-ETCHANT GEL



(Contd. of page 1)

- **Hazard pictograms** GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**
phosphoric acid
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7664-38-2	phosphoric acid	 C R34	35-45%
EINECS: 231-633-2		 Skin Corr. 1B, H314	

· **Other ingredients:**

- Colloidal silica
- Water
- Dyes

4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Trade name: K-ETCHANT GEL

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:**
Store away from oxidizing agents.
Store away from reducing agents.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

7664-38-2 phosphoric acid

WEL	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
-----	---

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

Trade name: K-ETCHANT GEL

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Gel
Colour:	Red
· Odour:	Odourless
· pH-value:	1.8
· Change in condition	
Melting point/Melting range:	42.4 °C (phosphoric acid)
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable

(Contd. on page 5)

Trade name: K-ETCHANT GEL

(Contd. of page 4)

Upper:	Not applicable
· Vapour pressure:	Not applicable
· Density:	1.3 g/cm ³
· Vapour density	Not applicable
· Solubility in / Miscibility with water:	Partly miscible.
· Segregation coefficient (n-octanol/water):	Not applicable
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

7664-38-2 phosphoric acid

Oral	LD50	1250 mg/kg (mouse)
		1250 mg/kg (rat)
Dermal	LD50	2740 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Corrosive
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

Printing date 28.02.2012

Revision: 01.04.2012

Trade name: K-ETCHANT GEL

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

· **UN-Number**

· **ADR, IMDG, IATA** 1805

· **UN proper shipping name**

· **ADR** 1805 PHOSPHORIC ACID, SOLUTION

· **IMDG, IATA** PHOSPHORIC ACID, SOLUTION

· **Transport hazard class(es)**

· **ADR**



· **Class** 8 Corrosive substances.

· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances.

· **Label** 8

· **Packing group**

· **ADR, IMDG, IATA** III

· **Environmental hazards:**

· **Marine pollutant:** No

· **Special precautions for user** Warning: Corrosive substances.

· **Danger code (Kemler):** 80

· **EMS Number:** F-A,S-B

(Contd. on page 7)

Printing date 28.02.2012

Revision: 01.04.2012

Trade name: K-ETCHANT GEL

(Contd. of page 6)

- | | |
|--|---|
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | UN1805; PHOSPHORIC ACID, SOLUTION; 8; III |

15 Regulatory information

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Version:** 6
- **Relevant phrases**
Not applicable
H314 Causes severe skin burns and eye damage.
R34 Causes burns.