



# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Material name** CH255Series  
**Version #** 01  
**Issue date** 11-Feb-2014  
**Product use** Inkjet printing  
**CAS #** Mixture  
**Synonym(s)** HP Designjet 788 Black Ink  
**Company identification** Hewlett-Packard Company  
3000 Hanover Street  
Palo Alto, CA 94304-1185  
United States  
Telephone 650-857-5020  
  
Hewlett-Packard health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. Hazards Identification

**Emergency overview** Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Potential health effects**

**Eyes** Irritating to eyes. Avoid contact with eyes.

**Skin** Contact causes skin irritation. Avoid contact with the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**Inhalation** Do not breathe vapour. Inhalation of vapors or mists of the product may be irritating to the respiratory system. Inhalation may cause drowsiness or dizziness.

**Ingestion** May be harmful if swallowed.

**Other hazards** Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Proprietary initiator - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

## 3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
phenoxy ethyl acrylate	48145-04-6	<40
monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid	3076-04-8	<25
N-vinylcaprolactam	2235-00-9	<25
Alkyl Acrylate Ester	84170-74-1	<10
Acrylate Ester Resin	26570-48-9	<5
Proprietary initiator	Proprietary	<5
2-benzyl-2-dimethylamino-4-morpholinobutyrophenone	119313-12-1	<1

<b>Non-hazardous components</b>	<b>CAS #</b>	<b>Percent</b>
Aliphatic Urethane Acrylate	Proprietary	<5

#### 4. First Aid Measures

<b>General advice</b>	No information
<b>First aid procedures</b>	
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Ingestion</b>	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

#### 5. Fire Fighting Measures

<b>Flammable properties</b>	None known.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Dry powder. Carbon dioxide (CO2). Water may be ineffective.
<b>Unsuitable extinguishing media</b>	Water.
<b>Protection of firefighters</b>	
<b>Protective equipment and precautions for firefighters</b>	Avoid runoff into storm sewers and ditches which lead to waterways.
<b>Fire fighting equipment/instructions</b>	Not available.

#### 6. Accidental Release Measures

<b>Personal precautions</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
<b>Methods for cleaning up</b>	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
<b>Other information</b>	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

#### 7. Handling and Storage

<b>Handling</b>	Avoid contact with skin, eyes and clothing.
<b>Storage</b>	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

#### 8. Exposure Controls / Personal Protection

<b>Exposure guidelines</b>	Exposure limits have not been established for this product.
<b>Personal protective equipment</b>	
<b>Eye / face protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
<b>Skin protection</b>	Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

---

## 9. Physical & Chemical Properties

<b>Appearance</b>	Not available.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Black.
<b>Odor</b>	Characteristic.
<b>pH</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Boiling point</b>	Not available.
<b>Melting point/Freezing point</b>	Not available.
<b>Solubility (water)</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Flash point</b>	> 212.00 °F (> 100.00 °C) (Closed Cup)
<b>VOC</b>	< 95 g/L
<b>Other information</b>	For other VOC regulatory data/information see Section 15.
<b>Other data</b>	
<b>Chemical family</b>	Acrylate/Polymer/Pigment Blend

---

## 10. Chemical Stability & Reactivity Information

<b>Chemical stability</b>	Stable under normal storage conditions.
<b>Conditions to avoid</b>	Exposure to sunlight.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization can occur with decreased inhibitor content.

---

## 11. Toxicological Information

<b>Carcinogenicity</b>	No data available.
<b>Serious eye damage/eye irritation</b>	Not available.
<b>Mutagenicity</b>	None known.
<b>Teratogenicity</b>	None known.
<b>Further information</b>	Complete toxicity data are not available for this specific formulation

---

## 12. Ecological Information

<b>Aquatic toxicity</b>	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>Ecotoxicity</b>	No data available.
<b>Persistence and degradability</b>	Not available.
<b>Bioaccumulation / Accumulation</b>	

---

## 13. Disposal Considerations

<b>Disposal instructions</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
------------------------------	--

---

## 14. Transport Information

<b>DOT</b>	Not regulated as dangerous goods.
<b>IATA</b>	Not regulated as dangerous goods.

---

**IMDG**

Not regulated as dangerous goods.

**RID**

Not regulated as dangerous goods.

---

**15. Regulatory Information****US federal regulations**

This product is listed on the U.S. EPA TSCA Inventory.

US TSCA 12(b): Contains 2,4-diethyl-9h-thioxanthen-9-one; Benzophenone, subject to export notification requirements.

US TSCA 4(a): Contains Benzophenone, subject of a test rule at 40 CFR Section 799.5115.

TSCA Section 5(a)(2) Significant New Use Rules: This product contains 2,4-diethyl-9h-thioxanthen-9-one which is subject to a Significant New Use Rule at 40 CFR Section 721.9664.

TSCA 8(a) PAIR: 4-Methoxyphenol

SARA 302/304/311/312 hazardous chemicals: tridecyl acrylate; C.I. Pigment Black 7

**Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number**

Not listed.

**Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))**

Not regulated.

**DEA Exempt Chemical Mixtures Code Number**

Not regulated.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA (Superfund) reportable quantity**

None

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****Hazard categories**

Immediate Hazard - No

Delayed Hazard - Yes

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

No

**SARA 311/312 Hazardous chemical**

No

**Other information**

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

VOC content (less water, less exempt compounds) = < 95 g/L (U.S. requirement, not for emissions) VOC data based on formulation (Organic compounds minus solids)

**State regulations****US. Massachusetts RTK - Substance List**

Not regulated.

**US. Pennsylvania RTK - Hazardous Substances**

Not regulated.

**US. Rhode Island RTK**

Not regulated.

---

**16. Other Information****HMIS® ratings**

Health: 2

Flammability: 1

Physical hazard: 2

**NFPA ratings**

Health: 2

Flammability: 1

Instability: 2

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Other information**

This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

**Issue date**

11-Feb-2014

**This data sheet contains changes from the previous version in section(s):**

1. Product and Company Identification: Alternate Trade Names

**Manufacturer information**

Hewlett-Packard Company  
3000 Hanover Street  
Palo Alto, California 94304-1112 US  
Product Information 1-800-925-0563

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds