

Mega Glue

MATERIAL SAFETY DATA SHEET**SECTION I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

DATE: MAY 12, 1998
 CHEMICAL NAME: WATER BASED ADHESIVE
 TRADE NAME: MEGA GLUE ADHESIVE
 DOT SHIP NAME: NOT REGULATED
 ID NUMBER: N/A
 DOT HAZ CLASS: NOT REGULATED
 HMIS HAZARD RATINGS: HEALTH HAZARD: 1 FIRE HAZARD: 1 REACTIVITY: 0

PROVIDED BY: MANNINGTON MILLS, INC.
 P. O. BOX 30, RTE. 45
 SALEM, NEW JERSEY 08079

TELEPHONE: (609)935-3000

EMERGENCY PHONE NUMBERS:

PRODUCT EMERGENCY: 800-228-5635 (EXT 205)
 SPILL RESPONSE: 800-424-9300

SECTION II. HAZARDOUS INGREDIENTS

<u>INGREDIENT</u>	<u>TLV</u>	<u>EXPLOSIVE LIMIT-%</u>		<u>VAPOR PRESS</u> (mm Hg)	<u>CAS</u> <u>NUMBER</u>
		<u>LOWER</u>	<u>UPPER</u>		

MATERIAL COMPONENTS ARE CONSIDERED TO BE NON-HAZARDOUS BECAUSE OF TYPE OF MATERIALS USED OR BECAUSE COMPONENT LEVELS ARE BELOW REGULATED THRESHOLD LIMITS *PRODUCT TLV IS NOT ESTABLISHED

SECTION III. PHYSICAL DATA

SPECIFIC GRAVITY (H₂O) = 1: > 1.0
 BOILING RANGE: APPROX. 212°F (100°C)
 VAPOR DENSITY: APPROX. THAT OF WATER
 EVAPORATION RATE: APPROX. THAT OF WATER
 VOLATILE BY WT. %: 45-60%
 APPEARANCE & ODOR: LIGHT PASTE, MILD ACETIC ODOR
 SOLUBILITY IN WATER: DISPERSIBLE
 VOC: LESS THAN 20 G/L

SECTION IV. FIRE & EXPLOSION DATA

FLASHPOINT, °F. (PMCC): NON COMBUSTIBLE

FLAMMABLE LIMITS IN AIR (% BY VOL.): LEL: N/A UEL: N/A

EXTINGUISHING MEDIA: CONSIDERED NON COMBUSTIBLE. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. MATERIAL CAN SPLATTER ABOVE 212° F (100°C).

SPECIAL FIRE-FIGHTING PROCEDURES: WEAR SELF CONTAINED BREATHING APPARATUS IF EXPOSED TO FUMES.

MATERIAL SAFETY DATA SHEET

SECTION V. HEALTH HAZARD DATA

EMERGENCY & FIRST AID PROCEDURES:

INHALATION: MOVE SUBJECT TO FRESH AIR. SEEK MEDICAL ATTENTION.

SKIN CONTACT: REMOVE CONTAMINATED CLOTHING. WASH AFFECTED SKIN AREAS WITH SOAP AND WATER. CONSULT A PHYSICIAN IF IRRITATION PERSISTS. WASH CONTAMINATED CLOTHING BEFORE REUSE.

INGESTION: CONSULT A PHYSICIAN AT ONCE. DILUTE WITH AMPLE WATER OR MILK. INDUCE VOMITING. (NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON).

EYE CONTACT: FLUSH EYES WITH WARM WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION.

EFFECTS OF OVEREXPOSURE: EYE CONTACT WITH PASTE MAY CAUSE IRRITATION. MAY CAUSE HEADACHE OR DIZZINESS.

NOTES TO PHYSICIAN: NONE

SECTION VI. REACTIVITY DATA

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

HAZARDOUS DECOMPOSITION PRODUCTS: NON COMBUSTIBLE, AQUEOUS DISPERSION. AFTER WATER EVAPORATES, PRODUCT MUST BE TREATED AS COMBUSTIBLE AND CAN PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE.

INCOMPATIBILITY (MATERIALS TO AVOID): NONE KNOWN.

SECTION VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: SCRAPE UP OR SHOVEL INTO CONTAINER FOR DISPOSAL. PREVENT SPILLED MATERIAL FROM SEWERS, STORM DRAINS, ETC. BY DIKING AND CONTAINMENT. FOR SMALL SPILLS ABSORB WITH SAWDUST OR OTHER ABSORBENT.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

SECTION VIII. SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION: NOT NORMALLY REQUIRED.

VENTILATION: USE ADEQUATE VENTILATION, LOCAL EXHAUST AT POINT OF USE.

PROTECTIVE GLOVES: IMPERVIOUS GLOVES.

EYE PROTECTION: SAFETY GLASSES.

OTHER PROTECTIVE EQUIPMENT: ONLY AS NEEDED TO MINIMIZE EXPOSURE.

HYGIENIC PRACTICES: MAINTAIN GOOD SAFE WORK HABITS WHEN WORKING WITH CHEMICALS.

MATERIAL SAFETY DATA SHEET

SECTION IX. SPECIAL PRECAUTIONS

CLOSE CONTAINERS AFTER USE.

KEEP FROM FREEZING, STORE IN COOL DRY AREA.

FOOD OR BEVERAGES SHOULD NOT BE CONSUMED WHERE THIS PRODUCT IS USED OR STORED.

KEEP OUT OF REACH OF CHILDREN.

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET IS BASED ON DATA AVAILABLE AT THE TIME OF PREPARATION AND IS BELIEVED TO BE RELIABLE. HOWEVER, THIS INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS ACCURACY OR RESULTS OBTAINED FROM THE USE THEREOF. YOU MUST MAKE YOUR OWN DETERMINATION OF ITS SUITABILITY AND COMPLETENESS FOR YOUR OWN USE, FOR THE PROTECTION OF THE ENVIRONMENT, AND HEALTH AND SAFETY OF YOUR EMPLOYEES AND USERS OF THIS MATERIAL.