

Syngenta Crop Protection, Inc.
Post Office Box 18300
Greensboro, NC 27419

In Case of Emergency, Call
1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name:	EXPERT HERBICIDE	Product No.:	A12453F
EPA Signal Word:	Caution		
Active Ingredient(%):	Atrazine (22.9%)	CAS No.:	1912-24-9
Chemical Name:	2-chloro-4-ethylamino-6-isopropylamino-s-triazine		
Chemical Class:	Triazine Herbicide		
Active Ingredient(%):	Glyphosate (10.8%)	CAS No.:	38641-94-0
Chemical Name:	N-(phosphonomethyl)glycine in the form of its isopropylamine salt		
Chemical Class:	Nonselective, Postemergence Herbicide		
Active Ingredient(%):	s-Metolachlor (18.6%)	CAS No.:	87392-12-9
Chemical Name:	Acetamide, 2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)-,(S)		
Chemical Class:	Chloroacetanilide Herbicide		
EPA Registration Number(s):	100-1161	Section(s) Revised:	14

2. HAZARDS IDENTIFICATION
Health and Environmental

Harmful if swallowed or inhaled. Causes mild eye and skin irritation.

Hazardous Decomposition Products

Flammable hydrogen gas may be formed on contact with incompatible metals. See "Conditions to Avoid", Section 10.

Physical Properties

Appearance: Light beige liquid
 Odor: Faint latex paint

Unusual Fire, Explosion and Reactivity Hazards

This product may form flammable and explosive hydrogen gas when in contact with galvanized or unlined steel.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Ethylene Glycol (< 5%)	Not Established	100 mg/m ³ (ceiling) [aerosol]	Not Established	No
Atrazine (22.9%)	Not Established	5 mg/m ³ TWA	5 mg/m ³ TWA **	IARC Group 3
s-Metolachlor (18.6%)	Not Established	Not Established	10 mg/m ³ TWA ***	No
Glyphosate (10.8%)	Not Established	Not Established	10 mg/m ³ TWA ***	No

** recommended by NIOSH

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.
Syngenta Hazard Category: B

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

- Flash Point (Test Method): > 221°F
- Flammable Limits (% in Air): Lower: Not Applicable Upper: Not Applicable
- Autoignition Temperature: 977°F
- Flammability: Not Applicable

Unusual Fire, Explosion and Reactivity Hazards

This product may form flammable and explosive hydrogen gas when in contact with galvanized or unlined steel.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container

and arrange for disposition.

7. HANDLING AND STORAGE

Spray solutions of this product should be mixed, stored and applied using only plastic, plastic-lined steel, stainless steel or fiberglass containers. Concentrate should not be stored in galvanized steel, carbon steel, aluminum or unlined steel containers.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

- Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
- Eye Contact: Where eye contact is likely, use chemical splash goggles.
- Skin Contact: Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.
- Inhalation: A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance: Light beige liquid
- Odor: Faint latex paint
- Melting Point: Not Applicable
- Boiling Point: Not Available
- Specific Gravity/Density: 9.45 lbs/gal (typical) @ 68°F (20°C)
- pH: 4 - 6 (1% solution @ 77°F (25°C) (Typical)

Solubility in H₂O

- Atrazine : 33 mg/l @ 68°F (20°C)
- Glyphosate: 11.6 g/l @ 77°F (25°C)
- s-Metolachlor: 0.48 g/l @ 77°F (25°C)

Vapor Pressure

- Atrazine : 2.9 x 10⁽⁻⁷⁾ mmHg @ 68°F (20°C)
- Glyphosate: 9.8 x 10⁽⁻⁸⁾ mmHg @ 77°F (25°C)
- s-Metolachlor: 2.8 x 10⁽⁻⁵⁾ mmHg @ 77°F (25°C)

10. STABILITY AND REACTIVITY

- Stability: Stable under normal use and storage conditions.
- Hazardous Polymerization: Will not occur.
- Conditions to Avoid: Concentrate should not be stored in galvanized steel, carbon steel, aluminum or unlined steel containers. Spray solutions should not be mixed, stored or applied in containers other than plastic, plastic-lined steel, stainless steel or fiberglass.
- Materials to Avoid: See "Conditions to Avoid", Section 10.
- Hazardous Decomposition Products: Flammable hydrogen gas may be formed on contact with incompatible metals. See

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:	Oral (LD50 Rabbit) :	2000 - 5000 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 5000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.56 mg/l air - 4 hours
Eye Contact:	Mildly Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Atrazine : None observed.
Glyphosate: None observed.
s-Metolachlor: None observed.

Chronic/Subchronic Toxicity Studies

Atrazine : Cardiotoxicity in long term study with high doses (dogs).
Glyphosate: Decreased weight gain and liver effects in highest dose level (mice). Reduced body weight gain and eye effects in high dose level (rats).
s-Metolachlor: None observed.

Carcinogenicity

Atrazine : Mammary tumors (female Sprague-Dawley rats), sex and strain specific.
None observed (male Sprague-Dawley rats, F-344 rats or mice).
Glyphosate: None observed.
s-Metolachlor: Benign liver tumors at high dose levels (female rats).

Other Toxicity Information

None

Toxicity of Other Components

Ethylene Glycol (< 5%)

Test results reported in Section 11 for the final product take into account any acute hazards related to the ethylene glycol in the formulation.

Target Organs

Active Ingredients

Atrazine : Heart
Glyphosate: Eye, liver
s-Metolachlor: Liver

Inert Ingredients

Ethylene Glycol: Not Applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects

Atrazine :
Fish (Rainbow Trout) 96-hour LC50 4.5 ppm
Green Algae 5-day EC50 49 ppb

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 6.9 ppm

Bird (Bobwhite Quail) 12-day LD50 940 mg/kg

s-Metolachlor:

Fish (Rainbow Trout) 96-hour LC50 11.9 ppm

Green Algae 5-day EC50 0.008 ppm

Bird (Bobwhite Quail) LD50 Oral > 2510 mg/kg

Invertebrate (Water Flea) 48-hour EC50 26 ppm

Glyphosate:

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 3 ppm

Bird (Bobwhite Quail) 8-day LD50 > 3851 mg/kg

Fish (Bluegill Sunfish) 96-hour LC50 2.4 ppm

Environmental Fate

Atrazine :

The information presented here is for the active ingredient, atrazine.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Highly mobile in soil. Will leach. Sinks in water (after 24 h).

Glyphosate:

The information presented here is for the active ingredient, glyphosate.

In soil (field), DT50 3 - 174 d, depending on edaphic and climatic conditions. In water, DT50 varies from a few to 91 d. Photodegradation in water occurs under natural conditions. DT50 \leq 28 d; no substantial photodegradation in soil was recorded over 31 d. In a lab. whole system with water and sediment, DT50 \leq 14 d (aerobic), 14 - 22 d (anaerobic). The major metabolite in soil and water is aminomethylphosphonic acid.

s-Metolachlor:

The information presented here is for the active ingredient, s-metolachlor.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Under certain circumstances, discarded product may exhibit TCLP hazardous characteristics. A hazardous waste determination should be done on a case by case basis.

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated.

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S., (Atrazine, s-Metolachlor), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S., (Atrazine, s-Metolachlor)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Note: This product is currently not regulated for airfreight within the NAFTA region. However, effective 01/01/2011 the above classification must be used.

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Atrazine (22.9%) (CAS No. 1912-24-9)
Ethylene Glycol (< 5%) (CAS No. 107-21-1)

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

Report product spills > 38,600 gal. (based on ethylene glycol [RQ = 5,000 lbs.] content in the formulation)

RCRA Hazardous Waste Classification (40 CFR 261)

Under certain circumstances, discarded product may exhibit TCLP hazardous characteristics. A hazardous waste determination should be done on a case by case basis.

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 11/25/2002

Revision Date: 8/23/2010

Replaces: 6/23/2010

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

End of MSDS