

MSDS Revision Date (dd/mm/yyyy): 13/07/2009

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product identifier : **ACCURATE™ HERBICIDE**
Product Code(s) : None reported.
Product Use : Herbicide
Chemical Family : Mixture
Supplier's name and address:
Cheminova, Inc.
 One Park Drive, Suite 150
 PO Box 110566
 Research Triangle Park, NC, USA
 27709
Information Telephone No. : 919-474-6600 (8:00 AM - 5:00 PM, EST, Monday-Friday)
24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).
 For Medical Emergencies: (800) 303-6950

Manufacturer's name and address:
Cheminova A/S
 PO Box 9
 DK-7620
 Lemvig, , Denmark

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>CAS #</u>	<u>% (weight)</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
			<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Metsulfuron-methyl technical	74223-64-6	50.00 - 70.00	N/Av	N/Av	N/Av	N/Av
Sodium alkylnaphthalenesulfonate polymer	Proprietary	5.00 - 10.00	N/Av	N/Av	N/Av	N/Av
Alkylnaphthalenesulfonate, sodium salt	Proprietary	3.00 - 7.00	N/Av	N/Av	N/Av	N/Av
Kaolin	1332-58-7	3.00 - 7.00	2 mg/m ³ (respirable fraction, particulate matter containing no asbestos and <1% crystalline silica)	N/Av	15 mg/m ³ (total dust); 5 mg/m ³ (respirable fraction)	N/Av

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Off white solid. Faint, ester-like odor.

Warning! Ingestion of large amounts may be harmful. Causes eye irritation. May cause skin and respiratory irritation. May cause long-term adverse effects in the environment. Harmful to plants.

POTENTIAL HEALTH EFFECTS

Target organs : Eyes, skin, respiratory system, digestive system, central nervous system.
Routes of exposure : *Inhalation:* YES *Skin Absorption:* NO *Skin & Eyes:* YES *Ingestion:* YES
Signs and symptoms of short-term (acute) exposure

Inhalation : May cause irritation to the nose, throat and upper respiratory tract.
Skin : May cause mild to moderate skin irritation. Symptoms may include redness, itching and swelling.
Eyes : May cause moderate to severe irritation. May cause corneal damage.
Ingestion : Harmful if swallowed. May cause irritation of mouth, throat, and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Effects of long-term (chronic) exposure

: Prolonged or repeated overexposure could cause adverse liver effects.

Conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

MSDS Revision Date (dd/mm/yyyy): 13/07/2009

Potential environmental effects

- : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 4 - FIRST AID MEASURES

- Inhalation** : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Seek immediate medical attention/advice.
- Skin contact** : Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. If irritation persists, seek prompt medical attention. Wash contaminated clothing before re-use.
- Eye contact** : Flush eyes thoroughly with running water for at least 20 minutes, holding eyelids open to ensure complete flushing. Seek immediate medical attention/advice.
- Ingestion** : Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.
- Notes For Physician** : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES**Fire hazards/conditions of flammability**

- : Not flammable under normal conditions of use. However, may ignite if exposed to extreme heat and flame. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Fine dust dispersed in air may ignite.

Flammability classification (OSHA 29 CFR 1910.1200)

- : Non-flammable.

Flash point : >302°F / >150°C**Flash point Method** : closed cup**Auto-ignition temperature** : N/Av**Lower flammable limit (% by vol.)**

- : N/Av

Upper flammable limit (% by vol.)

- : N/Av

Oxidizing properties : None known.**Flame Projection Length** : N/Av**Flashback observed** : N/Av**Explosion data: Sensitivity to mechanical impact / static discharge**

- : Not expected to be sensitive to mechanical impact. Finely divided dust clouds may be sensitive to static discharge and pose a dust explosion hazard.

Suitable extinguishing media : Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may spread burning material.

Special fire-fighting procedures/equipment

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning solid with water spray used for cooling purposes.

Hazardous combustion products

- : Carbon oxides; Sulphur oxides; nitrogen oxides (NOx); irritating fumes and smoke.

NFPA Rating

0 - Minimal	1 - Slight	2 - Moderate	3 - Serious	4 - Severe
<i>Health:</i> 2	<i>Flammability:</i> 1	<i>Instability:</i> 0	<i>Special Hazards:</i>	None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.
- Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.
- Spill response/cleanup** : Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Contain and absorb spilled material with inert, non-combustible absorbent material, such as sand. Sweep up and shovel into suitable containers for disposal. For a water spill, confine the spill immediately with booms. Notify the appropriate authorities as required.
- Prohibited materials** : None known.
- Special spill response procedures**

MSDS Revision Date (dd/mm/yyyy): 13/07/2009

- : In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002).
- US CERCLA Reportable quantity (RQ): None.

SECTION 7 - HANDLING AND STORAGE

- Safe Handling procedures** : This material is a harmful solid. Wear chemically resistant protective equipment during handling. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Do not breathe vapours/dust. Keep away from heat and flame. Avoid contact with incompatible materials. Use caution when opening cap. Keep containers tightly closed when not in use. Wash thoroughly after handling.
- Storage requirements** : Store in a cool, dry, well ventilated area. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.
- Incompatible materials** : Strong oxidizing agents; Alkalies.
- Special packaging materials** : Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering measures

- : Provide sufficient ventilation to keep vapour concentration below the given TLV and/or PEL.

Respiratory protection

- : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists.

Skin protection

- : Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers. Small tears in gloves and cross-contamination can easily occur. Change gloves frequently and limit manual work.

Eye / face protection

- : Wear chemical splash goggles to prevent dusts from entering the eyes.

Other protective equipment

- : Wear resistant clothing and boots. An eyewash station and safety shower should be made available in the immediate working area.

General hygiene considerations

- : Avoid breathing vapors, fumes or dust. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Do not take contaminated clothing home.

Permissible exposure levels

- : For individual ingredient exposure levels, see Section 2.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

- | | | | |
|---|--|---|--|
| Physical state | : Solid | Appearance | : Off white solid. |
| Odour | : Faint, ester-like odor. | Odour threshold | : N/Av |
| pH | : 3.9 (1% solution) | | |
| Boiling point | : Decomposes on heating. | Specific gravity | : 1.31 @ 20°C |
| Melting/Freezing point | : 323.6°F / 162°C | Coefficient of water/oil distribution | : Metsulfuron-methyl
Technical : Kow = 0.018; log
Kow = -1.7 @ pH 7 & 25°C |
| Vapour pressure (mmHg @ 20° C / 68° F) | : Metsulfuron-methyl
Technical : 8.3 x 10 ⁻¹³
mmHg @ 20°C | Solubility in water | : Dispersible |
| Vapour density (Air = 1) | : N/Av | Evaporation rate (n-Butyl acetate = 1) | : N/Av |
| Volatile organic Compounds (VOC's) | : N/Av | Volatiles (% by weight) | : None. |

SECTION 10 - REACTIVITY AND STABILITY DATA

- Stability and reactivity** : Stable under the recommended storage and handling conditions prescribed.
- Hazardous polymerization** : Will not occur.

MSDS Revision Date (dd/mm/yyyy): 13/07/2009

Conditions to avoid : Keep this product away from heat, sparks, flame, and other sources of ignition (e.g. pilot lights, electric motors, static electricity).

Materials To Avoid And Incompatibility : Incompatible materials (see Section 7).

Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicological data : LD50 Oral (rat): >2000 mg/kg
LD50 Dermal (rat): >2000 mg/kg
LC50 Inhalation (rat): >3.75 mg/L/4hr (maximum obtainable concentration - signs of toxicity at this concentration)

Carcinogenic status : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects : Not expected to have other reproductive effects.

Teratogenicity : Not expected to be a teratogen.

Mutagenicity : Not expected to be mutagenic in humans.

Epidemiology : Not available.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Synergistic materials : Not available.

Irritancy : Irritating to eyes, respiratory system and skin.

other important hazards : None known.

SECTION 12 - ECOLOGICAL INFORMATION

Environmental effects : The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. This product is an herbicide. The active ingredient is: Metsulfuron-methyl Technical . The active ingredient is considered to be highly toxic to many plants, and non-toxic to fish, aquatic invertebrates, soil micro- and macroorganisms, birds, mammals and insects.

Important environmental characteristics : The active ingredient is: Metsulfuron-methyl Technical . Under normal conditions, the active ingredient is mobile in the environment. The active ingredient is not readily biodegradable. Metsulfuron-methyl Technical is moderately persistent in the environment. Degradation occurs both aerobically and anaerobically, and biologically as well as abiotically. The risk of bioaccumulation is considered to be low.

Ecotoxicological : The toxicity of the active ingredient to wildlife species is measured to be:
Fish - 96-Hr LC50, Zebrafish (Danio rerio) = 142 mg/L.
Invertebrates - 48-Hr LC50, Daphnids (Daphnia magna) = 186 mg/L.
Birds - LD50, Japanese quail (Coturnix coturnix japonica) = > 2000 mg/kg.
Bees - 48-Hr LD50, Bees, topical = > 100 µg/bee.
48-Hr LD50, Bees, oral = > 1300 µg/bee
Earthworms - 14-day LC50, Redworm (Eisenia foetida foetida) = > 10,000 mg/kg dry soil
Aquatic plants - 72-Hr IC50, Green algae (Pseudokirchneriella subcapitata) = 3.69 mg/L
Green algae (Selenastrum gracile Reinsch) = 8 mg/L

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle waste according to recommendations in Section 7.

Methods of Disposal : Do not contaminate water, foodstuffs, feed or seed by storage or disposal. For disposable containers, triple rinse (or equivalent) containers and add rinse material to disposal tank. Follow any additional local, state or federal requirements for cleaning containers prior to disposal. Make the empty, rinsed container unsuitable for further use by puncturing. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

MSDS Revision Date (dd/mm/yyyy): 13/07/2009

SECTION 14 - TRANSPORTATION INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
49CFR/DOT	None	Not regulated.	not regulated	none	
49CFR/DOT Additional information	None.				
TDG	None	Not regulated.	not regulated	none	
TDG Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200).

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above de minimus concentrations.

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

International Information:

This product is a Pest Control Product and is not regulated as a Controlled Product under the Hazardous Products Act (HPA). For informational purposes, this product would have the following WHMIS classification:

Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION

HMIS Rating : * - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe
*Health: *2 Flammability: 1 Reactivity: 0*

Legend : ACGIH: American Conference of Governmental Industrial Hygienists
 CA: California
 CAS: Chemical Abstract Services
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
 CFR: Code of Federal Regulations
 DOT: Department of Transportation
 EPA: Environmental Protection Agency
 HMIS: Hazardous Materials Identification System
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer
 Inh: Inhalation
 N/Ap: Not Applicable
 N/Av: Not Available
 NFPA: National Fire Protection Association
 NIOSH: National Institute of Occupational Safety and Health
 NTP

MSDS Revision Date (dd/mm/yyyy): 13/07/2009

OSHA: Occupational Safety and Health Administration
 PEL: Permissible exposure limit
 RCRA: Resource Conservation and Recovery Act
 RTECS: Registry of Toxic Effects of Chemical Substances
 SARA: Superfund Amendments and Reauthorization Act
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TPQ: Threshold Planning Quantity
 TSCA: Toxic Substance Control Act
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values and Biological Exposure Indices
 2. International Agency for Research on Cancer Monographs
 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases (Chempendium, HSDB, RTECs).
 4. Material Safety Data Sheet from manufacturer.
 5. US EPA Title III List of Lists
 6. California Proposition 65 List

<u>Prepared for:</u> Cheminova Inc PO Box 110566 One Park Drive, Suite 150 Research Triangle Park, NC 27709 Please direct all enquiries to Cheminova.	
<u>Prepared by:</u> ICC The Compliance Center Inc. Canada: 1-888-977-4834 USA: 1-888-442-9628 http://www.thecompliancecenter.com	 HAZARDOUS MATERIALS REGULATIONS SPECIALISTS

DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Cheminova Inc and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Cheminova Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Cheminova Inc.

MSDS Preparation Date (dd/mm/yyyy)

: 22/11/2006

MSDS Reviewed Date (dd/mm/yyyy)

: 13/07/2009

Revision No.

: 2

Revision Information

: (M)SDS sections updated: All

END OF DOCUMENT