

Product Name: INSTINCT* Nitrogen Stabilizer

Issue Date: 03/12/2012

Print Date: 12 Mar 2012

Dow AgroSciences LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification

Product Name

INSTINCT* Nitrogen Stabilizer

COMPANY IDENTIFICATION

Dow AgroSciences LLC
A Subsidiary of The Dow Chemical Company
9330 Zionsville Road
Indianapolis, IN 46268-1189
United States

Customer Information Number:

800-992-5994

SDSQuestion@dow.com

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact:

800-992-5994

Local Emergency Contact:

352-323-3500

2. Hazards Identification

Emergency Overview

Color: Tan

Physical State: Liquid.

Odor: Mild

Hazards of product:

CAUTION! May cause eye irritation. May cause skin irritation. May be harmful if inhaled. Isolate area. Keep upwind of spill. Toxic fumes may be released in fire situations. Suspect cancer hazard. May cause cancer.

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: May cause moderate eye irritation. Corneal injury is unlikely.

Skin Contact: Brief contact may cause moderate skin irritation with local redness.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Inhalation: Prolonged excessive exposure may cause adverse effects. Based on the available data, respiratory irritation was not observed.

Ingestion: Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

Aspiration hazard: Based on physical properties, not likely to be an aspiration hazard.

Effects of Repeated Exposure: For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Kidney. Liver. Female reproductive organs. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. Ingestion of naphthalene by humans has caused hemolytic anemia. Excessive exposure may cause hemolysis, thereby impairing the blood's ability to transport oxygen. Cataracts and other eye effects have been reported in humans repeatedly exposed to naphthalene vapor or dust. Excessive exposure to solvent(s) may cause respiratory irritation and central nervous system depression.

Cancer Information: For the active ingredient(s): Kidney effects and/or tumors have been observed in male rats. These effects are believed to be species specific and unlikely to occur in humans. For the minor component(s) Contains naphthalene which has caused cancer in some laboratory animals.

Birth Defects/Developmental Effects: For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Exposures having no effect on the mother should have no effect on the fetus.

3. Composition Information

Component	CAS #	Amount
Nitrapyrin	1929-82-4	17.67 %
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	18.8 %
Propylene glycol	57-55-6	8.0 %
2-Methylnaphthalene	91-57-6	4.9 %
Naphthalene	91-20-3	3.0 %
1-Methylnaphthalene	90-12-0	2.3 %
Balance	Not available	45.33 %

4. First-aid measures

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. Fire Fighting Measures

Suitable extinguishing media

To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn. Container may rupture from gas generation in a fire situation.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Keep upwind of spill. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

7. Handling and Storage

Handling

General Handling: Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Use with adequate ventilation. Wash thoroughly after handling. Keep container closed.

Storage

Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

8. Exposure Controls / Personal Protection

Exposure Limits

Component	List	Type	Value
Nitrapyrin	ACGIH	TWA	10 mg/m ³
	ACGIH	STEL	20 mg/m ³
	OSHA Table Z-1	PEL	5 mg/m ³
		Respirable fraction.	
	OSHA Table Z-1	PEL Total dust.	15 mg/m ³
Propylene glycol	WEEL	TWA Aerosol.	10 mg/m ³
2-Methylnaphthalene	ACGIH	TWA	0.5 ppm SKIN
Naphthalene	ACGIH	TWA	10 ppm SKIN
	ACGIH	STEL	15 ppm SKIN
	OSHA Table Z-1	PEL	50 mg/m ³ 10 ppm
1-Methylnaphthalene	ACGIH	TWA	0.5 ppm SKIN

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material including mucous membranes and the eyes either by contact with vapors or by direct skin contact.

It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposures should be considered.

Personal Protection

Eye/Face Protection: Use chemical goggles.

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Styrene/butadiene rubber. Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For

emergency conditions, use an approved positive-pressure self-contained breathing apparatus. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Engineering Controls

Ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Appearance

Physical State	Liquid.
Color	Tan
Odor	Mild
Odor Threshold	No test data available
pH	8 (@ 1 %) <i>pH Electrode</i>
Melting Point	Not applicable
Freezing Point	No test data available
Boiling Point (760 mmHg)	No test data available.
Flash Point - Closed Cup	> 100 °C (> 212 °F) <i>Pensky-Martens Closed Cup ASTM D 93</i>
Evaporation Rate (Butyl Acetate = 1)	No test data available
Flammable Limits In Air	Lower: No test data available Upper: No test data available
Vapor Pressure	No test data available
Vapor Density (air = 1)	No test data available
Specific Gravity (H₂O = 1)	No test data available
Solubility in water (by weight)	No test data available
Partition coefficient, n-octanol/water (log Pow)	No data available for this product. See Section 12 for individual component data.
Autoignition Temperature	No test data available
Decomposition Temperature	No test data available
Explosive properties	no data available
Oxidizing properties	no data available
Liquid Density	1.16 g/cm ³ @ 20 °C <i>Digital density meter</i>

10. Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Unstable at elevated temperatures.

Possibility of hazardous reactions

Polymerization will not occur.

Conditions to Avoid: Some components of this product can decompose at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.

Incompatible Materials: Avoid contact with: Acids. Oxidizers. Avoid contact with metals such as: Aluminum. Aluminum alloys. Magnesium. Magnesium alloys.

Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Hydrogen chloride. Nitrogen oxides. Toxic gases are released during decomposition.

11. Toxicological Information

Acute Toxicity

Ingestion

As product: Single dose oral LD50 has not been determined.

For similar material(s): Estimated. LD50, > 5,000 mg/kg

Dermal

As product: The dermal LD50 has not been determined.

For similar material(s): Estimated. LD50, > 5,000 mg/kg

Inhalation

As product: The LC50 has not been determined.

For similar material(s): LC50, 4 h, Aerosol, rat, male and female > 3.51 mg/l

Maximum attainable concentration. No deaths occurred at this concentration.

Eye damage/eye irritation

May cause moderate eye irritation. Corneal injury is unlikely.

Skin corrosion/irritation

Brief contact may cause moderate skin irritation with local redness.

Sensitization

Skin

For similar material(s): Did not demonstrate the potential for contact allergy in mice.

Respiratory

No relevant data found.

Repeated Dose Toxicity

For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Kidney. Liver. Female reproductive organs. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use. Ingestion of naphthalene by humans has caused hemolytic anemia. Excessive exposure may cause hemolysis, thereby impairing the blood's ability to transport oxygen. Cataracts and other eye effects have been reported in humans repeatedly exposed to naphthalene vapor or dust. Excessive exposure to solvent(s) may cause respiratory irritation and central nervous system depression.

Chronic Toxicity and Carcinogenicity

For the active ingredient(s): Kidney effects and/or tumors have been observed in male rats. These effects are believed to be species specific and unlikely to occur in humans. For the minor component(s) Contains naphthalene which has caused cancer in some laboratory animals.

Carcinogenicity Classifications:

Component	List	Classification
Naphthalene	IARC	Possibly carcinogenic to humans.; 2B
	NTP	Anticipated carcinogen.

Developmental Toxicity

For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Exposures having no effect on the mother should have no effect on the fetus. Did not cause birth defects in laboratory animals.

Reproductive Toxicity

For the active ingredient(s): In animal studies, did not interfere with reproduction.

Genetic Toxicology

For the active ingredient(s): In vitro genetic toxicity studies were predominantly negative. Animal genetic toxicity studies were negative. For the minor component(s): In vitro genetic toxicity studies were negative in some cases and positive in other cases. Animal genetic toxicity studies were negative.

12. Ecological Information

Toxicity

Data for Component: **Nitrapyrin**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). Material is slightly toxic to birds on a dietary basis (LC50 between 1001 and 5000 ppm).

Fish Acute & Prolonged Toxicity

LC50, *Lepomis macrochirus* (Bluegill sunfish), static test, 96 h: 3.4 - 7.9 mg/l

LC50, tidewater silverside (*Menidia beryllina*), flow-through test, 96 h: 4.28 mg/l

Aquatic Invertebrate Acute Toxicity

EC50, eastern oyster (*Crassostrea virginica*), flow-through test, 96 h, shell growth inhibition: 1.8 mg/l

EC50, *Daphnia magna* (Water flea), flow-through test, 48 h, survival: 2.2 mg/l

Aquatic Plant Toxicity

EbC50, *Pseudokirchneriella subcapitata* (green algae), biomass growth inhibition, 72 h: 0.92 mg/l

Toxicity to Above Ground Organisms

oral LD50, *Anas platyrhynchos* (Mallard duck): 2708 mg/kg bodyweight.

dietary LC50, *Coturnix japonica* (Japanese quail): > 820 mg/kg diet.

Toxicity to Soil Dwelling Organisms

LC50, *Eisenia fetida* (earthworms), 15 d: 209 mg/kg

Data for Component: **Solvent naphtha (petroleum), heavy aromatic**

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LL50, *Oncorhynchus mykiss* (rainbow trout), static test, 96 h: 2 - 5 mg/l

Aquatic Invertebrate Acute Toxicity

EL50, *Daphnia magna* (Water flea), static test, 48 h, immobilization: 3 - 10 mg/l

Aquatic Plant Toxicity

EL50, *Pseudokirchneriella subcapitata* (green algae), static test, 72 h: 11 mg/l

Toxicity to Above Ground Organisms

Based on information for a similar material: dietary LC50, *Colinus virginianus* (Bobwhite quail): > 6,500 ppm

Based on information for a similar material: oral LD50, *Colinus virginianus* (Bobwhite quail): > 2,250 mg/kg

Data for Component: **Propylene glycol**

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, *Oncorhynchus mykiss* (rainbow trout), static test, 96 h: 40,613 mg/l

Aquatic Invertebrate Acute Toxicity

LC50, *Ceriodaphnia Dubia* (water flea), static test, 48 h: 18,340 mg/l

Aquatic Plant Toxicity

ErC50, *Pseudokirchneriella subcapitata* (green algae), Growth rate inhibition, 96 h: 19,000 mg/l

Toxicity to Micro-organisms

NOEC, no data available; *Pseudomonas putida*, 18 h: > 20,000 mg/l

Aquatic Invertebrates Chronic Toxicity Value

Ceriodaphnia Dubia (water flea), semi-static test, 7 d, reproduction, NOEC: 13020 mg/l

Data for Component: **Naphthalene**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, Oncorhynchus mykiss (rainbow trout), 96 h: 0.11 mg/l

Aquatic Invertebrate Acute Toxicity

EC50, Daphnia magna (Water flea), static test, 48 h, immobilization: 1.6 - 24.1 mg/l

Data for Component: 1-Methylnaphthalene

Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, Pimephales promelas (fathead minnow), static test, 96 h: 6.4 mg/l

Aquatic Invertebrate Acute Toxicity

, Daphnia magna (Water flea), static test, 48 h, mortality: 6.5 mg/l

Persistence and Degradability

Data for Component: Nitrapyrin

Chemical degradation (hydrolysis) is expected in the environment within days to weeks.

Degradation is expected in the soil environment within days to weeks.

Theoretical Oxygen Demand: 0.97 mg/mg

Data for Component: Solvent naphtha (petroleum), heavy aromatic

Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
39 %	28 d	OECD 301D Test	fail

Data for Component: Propylene glycol

Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
81 %	28 d	OECD 301F Test	pass
96 %	64 d	OECD 306 Test	Not applicable

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
1.28E-11 cm ³ /s	10 h	Estimated.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
69.000 %	70.000 %	86.000 %	

Chemical Oxygen Demand: 1.53 mg/mg

Theoretical Oxygen Demand: 1.68 mg/mg

Data for Component: Naphthalene

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
2.16E-11 cm ³ /s	5.9 h	Estimated.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
57.000 %	71.000 %	71.000 %	

Theoretical Oxygen Demand: 3.00 mg/mg

Data for Component: 1-Methylnaphthalene

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
62 %	66 %	66 %	

Bioaccumulative potentialData for Component: **Nitrapyrin**

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 3.41 Measured

Bioconcentration Factor (BCF): 33 - 230; Fish; Measured

Data for Component: **Solvent naphtha (petroleum), heavy aromatic**

Bioaccumulation: Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

Partition coefficient, n-octanol/water (log Pow): 2.9 - 6.1 Measured

Data for Component: **Propylene glycol**

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient, n-octanol/water (log Pow): -1.07 Measured

Bioconcentration Factor (BCF): 0.09; Estimated.

Data for Component: **Naphthalene**

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 3.3 Measured

Bioconcentration Factor (BCF): 40 - 300; Fish; Measured

Data for Component: **1-Methylnaphthalene**

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Partition coefficient, n-octanol/water (log Pow): 4 Estimated.

Bioconcentration Factor (BCF): 200; Fish

Mobility in soilData for Component: **Nitrapyrin**

Mobility in soil: Potential for mobility in soil is medium (Koc between 150 and 500).

Partition coefficient, soil organic carbon/water (Koc): 420 Measured

Data for Component: **Solvent naphtha (petroleum), heavy aromatic**

Mobility in soil: No data available.

Data for Component: **Propylene glycol**

Mobility in soil: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient, soil organic carbon/water (Koc): < 1 Estimated.

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Data for Component: **Naphthalene**

Mobility in soil: Potential for mobility in soil is medium (Koc between 150 and 500).

Partition coefficient, soil organic carbon/water (Koc): 240 - 1,300 Measured

Henry's Law Constant (H): 2.92E-04 - 5.53E-04 atm*m3/mole; 25 °C Measured

Distribution in Environment: Mackay Level 1 Fugacity Model:

Air	Water.	Biota	Soil	Sediment
74 %	8.5 %	< 0.01 %	18 %	0.39 %

Data for Component: **1-Methylnaphthalene**

Mobility in soil: No relevant data found.

13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material

generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. Transport Information

DOT Non-Bulk
NOT REGULATED

DOT Bulk
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S
Technical Name: NAPHTHALENE
Hazard Class: 9 **ID Number:** UN3082 **Packing Group:** PG III

IMDG
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S
Technical Name: NAPHTHALENE
Hazard Class: CLASS 9 **ID Number:** UN3082 **Packing Group:** PG III
EMS Number: F-A,S-F
Marine pollutant.: Yes

ICAO/IATA
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S
Technical Name: NAPHTHALENE
Hazard Class: CLASS 9 **ID Number:** UN3082 **Packing Group:** PG III
Additional Information

Reportable quantity: 3,804 lb – NAPHTHALENE

MARINE POLLUTANT

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information

OSHA Hazard Communication Standard

This product is a “Hazardous Chemical” as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	Yes
Delayed (Chronic) Health Hazard	Yes
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product contains the following substances which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and which are listed in 40 CFR 372.

Component	CAS #	Amount
Nitrapyrin	1929-82-4	17.67%

Naphthalene 91-20-3 3.0%

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

Component	CAS #	Amount
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	18.8%
Nitrapyrin	1929-82-4	17.67%
Propylene glycol	57-55-6	8.0%
2-Methylnaphthalene	91-57-6	4.9%
Naphthalene	91-20-3	3.0%
1-Methylnaphthalene	90-12-0	2.3%

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This product contains the following substances which are subject to CERCLA Section 103 reporting requirements and which are listed in 40 CFR 302.4.

Component	CAS #	Amount
Naphthalene	91-20-3	3.0%

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

WARNING: This product contains a chemical(s) known to the State of California to cause birth defects or other reproductive harm.

Toxic Substances Control Act (TSCA)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

16. Other Information

Hazard Rating System

NFPA Health 1 Fire 1 Reactivity 0

Revision

Identification Number: 1046453 / 1016 / Issue Date 03/12/2012 / Version: 2.0

DAS Code: GF-2747

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline

WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

Dow AgroSciences LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.