

# Stalwart MTZ

## Safety Data Sheet

Revision date: 1/29/2013:

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name. : Stalwart MTZ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Herbicide

#### 1.3. Details of the supplier of the safety data sheet

Sipcam Agro USA, Inc.  
2520 Meridian Parkway, Suite 525  
Durham, NC 27713

T 919-226-1195  
[www.sipcamadvan.com](http://www.sipcamadvan.com)

#### 1.4. Emergency telephone number

Emergency number : Chemtrec 1 800 424 9300 (transportation and spills)  
NIPC 1 800 858 7378 (human and animal health)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Flam. Liq. 4 H227  
Eye Irrit. 2B H320  
STOT SE 3 H335  
Asp. Tox. 1 H304  
Aquatic Acute 1 H400  
Aquatic Chronic 2 H411

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H227 - Combustible liquid  
H304 - May be fatal if swallowed and enters airways  
H320 - Causes eye irritation  
H335 - May cause respiratory irritation  
H400 - Very toxic to aquatic life  
H 411 - Very toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) :

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P264 - Wash thoroughly after handling  
 P271 - Use only outdoors or in a well-ventilated area  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection  
 P271 - Avoid release to the environment  
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor  
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P312 - Call a POISON CENTER/doctor if you feel unwell  
 P331 - If swallowed, do NOT induce vomiting  
 P337+P313 - If eye irritation persists: Get medical advice/attention  
 P370+P378 - In case of fire: Use carbon dioxide, foam, dry chemical or water for extinction  
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
 P403+P235 - Store in a well-ventilated place. Keep cool  
 P405 - Store locked up  
 P391 - Collect spillage  
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Metolachlor	(CAS No.) 51218-45-2	58.2	Not classified
Solvent naphtha, petroleum, heavy aromatic	(CAS No.) 64742-94-5	15.3	Not classified
Metribuzin	(CAS No.) 21087-64-9	13.8	Not classified

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

First-aid measures after ingestion : Call a poison control center or doctor immediately for treatment advice. Have affected person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Call a POISON CENTER or doctor/physician.

First-aid measures after inhalation : Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

# Stalwart MTZ

## Safety Data Sheet

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use carbon dioxide, foam, dry chemical or water.

Unsuitable extinguishing media : None.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : None known.

Reactivity : None.

### 5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid breathing vapors. Avoid skin and eye contact and wear appropriate personal protective equipment.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : If possible, stop flow of product.

Methods for cleaning up : Contain and/or absorb spill with inert material, then place in suitable container. Dispose of waste in accordance with local, state and federal regulations.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in dry, cool, well-ventilated area.

# Stalwart MTZ

## Safety Data Sheet

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Metribuzin (21087-64-9)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>

### 8.2. Exposure controls

- Appropriate engineering controls : Local exhaust and general ventilation must be adequate to meet exposure standards.
- Hand protection : Wear impervious gloves to minimize skin contact.
- Eye protection : Chemical goggles or face shield.
- Skin and body protection : Wear suitable working clothes.
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Viscous Liquid
- Colour : Amber
- Odour : Pungent
- Odour threshold : No data available
- pH : 4.53
- Relative evaporation rate (butylacetate=1) : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : 81.7 °C
- Self ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available
- Vapour pressure : No data available
- Relative vapour density at 20 °C : No data available

# Stalwart MTZ

## Safety Data Sheet

Relative density	: 1.080 @ 20°C
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic (Centistokes)	: 79.1 (20°C), 26.0 (40°C)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: Not Oxidizing
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None.

### 10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

### 10.3. Possibility of hazardous reactions

Will not occur.

### 10.4. Conditions to avoid

None.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

May decompose under fire conditions emitting gases and vapors which may be toxic and irritating to the respiratory tract.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Stalwart MTZ	
LD50 oral rat	985 mg/kg
LD50 dermal rabbit	> 5050 mg/kg
LC50 inhalation rat (mg/l)	> 2.30 mg/l (Exposure time: 4 h)

# Stalwart MTZ

## Safety Data Sheet

Skin corrosion/irritation	: Slightly irritating. pH: 4.53
Serious eye damage/irritation	: Moderately irritating. pH: 4.53
Respiratory or skin sensitisation	: Non-sensitizing.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general

<b>Metolachlor (51218-45-2)</b>	
LC50 fish 1	8.6 - 12 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	25.1 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	0.014 mg/l (Exposure time: 120 h - Species: Pseudokirchneriella subcapitata)
LC50 fish 2	3.3 - 4.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 2	4.25 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 2	0.0448 - 0.0568 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])

<b>Solvent naphtha, petroleum, heavy aromatic (64742-94-5)</b>	
LC50 fish 1	19 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	0.95 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	2.5 mg/l (Exposure time: 72 h - Species: Skeletonema costatum)
LC50 fish 2	2.34 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

<b>Metolachlor (51218-45-2)</b>	
BCF fish 1	69
Log Pow	2.9 (at 25 °C)

<b>Solvent naphtha, petroleum, heavy aromatic (64742-94-5)</b>	
BCF fish 1	61 - 159
Log Pow	2.9 - 6.1

# Stalwart MTZ

## Safety Data Sheet

### 12.4. Mobility in soil

#### Ground Water Advisory

Metolachlor has the potential to leach through soil and can contaminate ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

Metribuzin is a chemical which can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Metribuzin has been found in groundwater as a result of agricultural use. Users are advised not to apply metribuzin where the water table (groundwater) is close to the surface and where the soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

#### Surface Water Advisory

Metolachlor has the potential to contaminate surface water through ground spray drift. Under some conditions, metolachlor may also have a high potential for runoff into surface water (primarily via dissolution in runoff water) for several months post-application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas over-laying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 14: Transport information

In accordance with DOT / ADR / RID / ADNR / IMDG / ICAO / IATA

### 14.1. UN number

UN3082

### 14.2. UN proper shipping name

DOT Proper Shipping Name : Environmentally hazardous substances, liquid, n.o.s. (Metolachlor)

Department of Transportation (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Hazard Classes

Hazard labels (DOT) : 9 - Miscellaneous dangerous compounds



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

# Stalwart MTZ

## Safety Data Sheet

DOT Special Provisions (49 CFR 172.102)

: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leakproof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 / 178.274(d)(2) / Normal / 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where:  $t_r$  is the maximum mean bulk temperature during transport, and  $t_f$  is the temperature in degrees celsius of the liquid during filling.

TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions

: Refer to 49 CFR 173.155

DOT Packaging Non Bulk

: Refer to 49 CFR 173.203

DOT Packaging Bulk

: Refer to 49 CFR 173.241

### 14.3 Additional information

Other information

: No supplementary information available.

### Overland transport

No additional information available

### Transport by sea

DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

### Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)

: No limit

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)

: No limit

# Stalwart MTZ

## Safety Data Sheet

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

<b>Metribuzin (21087-64-9)</b>	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	1.0 %
<b>Solvent naphtha, petroleum, heavy aromatic (64742-94-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### Warning

Harmful if swallowed or absorbed through skin.

Causes moderate eye irritation.

#### 15.2. US State regulations

<b>Metribuzin (21087-64-9)</b>
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
<b>Metolachlor (51218-45-2)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*