


NFPA HAZARD RATING				U.S. TRANSPORT SUMMARY	
0	Least			Not regulated by the U.S. DOT as a hazardous material. (See Section 14 for additional information.)	
1	Slight	1	Health		
2	Moderate	0	Flammability		
3	High	0	Reactivity		
4	Severe				

SECTION 1: IDENTIFICATION	
<b>Product Name:</b>	Gravity™ L 12-0-12 with Max-In® Technology
<b>EPA Registration #:</b>	Exempt
<b>Product ID/Unity #:</b>	1431551
<b>Common Name:</b>	NPK fertilizer solution with trace micronutrients
<b>Chemical Description:</b>	Complexed fertilizer solution
<b>Recommended Uses:</b>	Fertilizer product – See product label for directions for use.
<b>Restrictions for Use:</b>	See product label for any potential restrictions on use.
<b>Manufactured For:</b> WINFIELD SOLUTIONS, LLC P. O. Box 64589 St. Paul, MN 55164-0589	<b>MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)</b>  <b>Non-Emergency Business Inquiries: 1-855-494-6343</b> Mon – Fri 8am – 5pm (Central Standard Time)
<b>FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)</b>	

SECTION 2: HAZARDS IDENTIFICATION			
<b>EMERGENCY OVERVIEW:</b> Light to dark yellow liquid. Harmful if swallowed. Causes eye and skin irritation.			
<b>POTENTIAL HEALTH EFFECTS:</b>			
<b>Eyes:</b> Causes serious eye irritation.			
<b>Skin:</b> Causes skin irritation.			
<b>Inhalation:</b> May cause irritation of the upper respiratory tract. Prolonged inhalation may be harmful.			
<b>Ingestion:</b> Harmful if swallowed.			
<b>Preexisting Conditions:</b> Preexisting skin conditions may be aggravated by contact.			
<b>Chronic Health Effects:</b> None known.			
<b>Carcinogenicity</b>	NTP: Not listed	IARC: Not listed	OSHA: Not listed
<b>OSHA HCS 2012 CLASSIFICATION:</b> Skin Irritation Category 2; Eye Irritation Category 2			
<b>SIGNAL WORD:</b> WARNING			
<b>HAZARD STATEMENTS:</b>			
Causes skin irritation.			
Causes serious eye irritation.			
			
<b>Percent of product with unknown toxicity:</b> 0%			
<b>PRECAUTIONARY STATEMENTS:</b>			
<b>Prevention:</b>	Wash hands thoroughly after handling. Wear eye and face protection.		
<b>Response:</b>	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
<b>Storage:</b>	Store away from incompatible materials.		
<b>Disposal:</b>	Dispose of contents/container in accordance with Federal, state and local regulations.		

**Gravity™ L 12-0-12**  
**with Max-In® Technology**

<b>SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS</b>		
<b>Ingredient</b>	<b>% (wt)</b>	<b>CAS Reg. #</b>
Potassium carbonate	10.0 – 20.0%	584-08-7
Urea	10.0 – 20.0%	57-13-6
*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(j).		
See Section 8 for exposure limits.		

<b>SECTION 4: FIRST AID MEASURES</b>	
<b>Inhalation:</b>	Remove person from contaminated area to fresh air and assist breathing as needed. See medical attention if irritation occurs.
<b>Ingestion:</b>	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>Eyes:</b>	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if irritation persists.
<b>Skin:</b>	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.

<b>SECTION 5: FIRE FIGHTING MEASURES</b>	
<b>Suitable Extinguishing Media:</b>	Foam, carbon dioxide, dry chemical or water fog
<b>Unsuitable Extinguishing Media:</b>	Water jet. Use of water jet will spread fire.
<b>Special Fire Fighting Procedures:</b>	Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.
<b>Hazardous Combustion Products:</b>	Carbon oxides
<b>Unusual Fire and Explosion Hazards:</b>	None known.

<b>SECTION 6: ACCIDENTAL RELEASE MEASURES</b>	
<b>Personal Precautions:</b>	Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.
<b>Environmental Precautions:</b>	Keep spilled product from entering sewers or waterways.
<b>Methods for Containment:</b>	Contain spilled product by diking area with sand or earth.
<b>Methods for Clean-up:</b>	Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.
<b>Other Information:</b>	None known

<b>SECTION 7: HANDLING AND STORAGE</b>	
<b>Handling:</b>	Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.
<b>Storage:</b>	Store in original container only and in a cool, well-ventilated, dry place at temperatures between 40 and 95°F. Store in areas away from children, feed and food products.
<b>Minimum Storage Temperature:</b>	40°F
<b>Other Precautions:</b>	Consult Federal, state and local laws and regulations pertaining to storage.

<b>SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</b>			
<b>Exposure Guidelines</b>			
<b>Component:</b>	OSHA PEL	ACGIH TLV	NIOSH REL
No components have established limits			
<b>Respiratory Protection:</b> For most well-ventilated conditions, no respiratory protection should be needed. If used in areas where ventilation is inadequate, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for general particulates.			
<b>Engineering Controls:</b> <b>Local Exhaust:</b> Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.			
<b>Protective Gloves:</b> This product may cause skin irritation. Wear chemically protective gloves to prevent exposure to skin.			
<b>Eye Protection:</b> Wear chemical goggles or safety glasses and full face shield. Contact lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area.			
<b>Other Protective Clothing or Equipment:</b> Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact.			
<b>Work/Hygienic Practices:</b> Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.			

<b>SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES</b>			
<b>Physical State:</b>	Liquid	<b>Specific Gravity (H<sub>2</sub>O=1):</b>	1.34 (typical)
<b>Vapor Pressure (mm Hg):</b>	Not determined	<b>Density (lbs/gallon):</b>	11.18 lbs/gallon (typical)
<b>Vapor Density (Air=1):</b>	Not determined	<b>Melting Point/Freezing Point:</b>	Not determined
<b>Solubility in Water (wt %):</b>	100%	<b>Boiling Point/Range:</b>	Not determined
<b>Viscosity:</b>	Not determined	<b>pH:</b>	10 – 11.5
<b>Appearance and odor:</b>	Light to dark yellow liquid. Odor not determined.	<b>Flash Point:</b>	Not determined

<b>SECTION 10: STABILITY AND REACTIVITY</b>
<b>Reactivity:</b> None known.
<b>Chemical Stability:</b> Product is stable at ambient temperature and pressure, under normal storage and handling conditions.
<b>Possibility of Hazardous Reactions:</b> Will not occur.
<b>Conditions to Avoid:</b> Contact with incompatible materials. Exposure to extreme temperatures.
<b>Incompatible Materials:</b> Strong oxidizing agents.
<b>Hazardous Decomposition Products:</b> None known.

<b>SECTION 11: TOXICOLOGICAL INFORMATION</b>	
<b><u>ACUTE TOXICITY</u></b>	
<b>Eye Effects:</b>	Causes serious but reversible eye irritation.
<b>Skin Effects:</b>	Causes temporary skin irritation.
<b>Acute Inhalation Effects:</b>	May cause irritation of the upper respiratory tract. Prolonged inhalation may be harmful.
<b>Acute Oral Effects:</b>	Harmful if swallowed.
<b>Specific Target Organ Toxicity:</b>	None known
<b><u>CHRONIC TOXICITY</u></b>	
<b>Chronic Effects:</b>	None known.
<b>Carcinogenicity:</b>	No components are anticipated to have a carcinogenic effect.
<b>Mutagenicity:</b>	No components are anticipated to have mutagenic effects.
<b>Teratogenicity:</b>	No components are anticipated to have teratogenic effects.
<b>Reproductive Toxicity:</b>	No components are anticipated to have effects on the reproductive system.

*Continued on next page*

**POTENTIAL HEALTH EFFECTS:**

**Eyes:** Causes serious eye irritation.

**Skin:** Causes skin irritation.

**Inhalation:** May cause irritation of the upper respiratory tract. Prolonged inhalation may be harmful.

**Ingestion:** Harmful if swallowed.

**SECTION 12: ECOLOGICAL INFORMATION**

**ENVIRONMENTAL SUMMARY:** Not determined

**ECOTOXICITY DATA:**

**Fish Acute and Prolonged Toxicity:** Not determined

**Aquatic Invertebrate Acute Toxicity:** Not determined

**Aquatic Plant Toxicity:** Not determined

**Bird Acute and Prolonged Toxicity:** Not determined

**Honeybee Toxicity:** Not determined

**ENVIRONMENTAL EFFECTS:**

**Soil Absorption/Mobility:** Not determined

**Persistence and degradability:** Not determined

**Bioaccumulative Potential:** Not determined

**Other adverse effects:** Not determined

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste:** Dispose of in accordance with applicable Federal, state and local laws and regulations.

**Container:** Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations.

**RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

**SECTION 14: TRANSPORT INFORMATION**

**DOT:** This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.

**IMDG:** This product is not regulated by the IMDG code as a hazardous material for shipment by sea.

**IATA:** This product is not regulated by IATA as a hazardous material for air shipment.

**TDG:** This product is not regulated by the TDG as a hazardous material for ground shipment.

**SECTION 15: REGULATORY INFORMATION**

**TSCA Inventory:** All components are listed on the TSCA inventory.

**SARA Title III Information:**

**Section 302 - Extremely hazardous substances:** None listed

**Section 311/312 - Hazard Categories:** Immediate (Acute)

**Section 313 -** The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:  
None listed

**CERCLA -** This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):  
None listed

**California Proposition 65:** This product does not contain any chemicals known to the state of California to cause cancer and/or reproductive harm.

*Continued on next page*

**Gravity™ L 12-0-12  
with Max-In® Technology**

**U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):**

<b>Chemical Name</b>	<b>CAS #</b>	<b>State(s)</b>
No components listed		

**Canadian Domestic Substances List:** Not determined

**WHMIS Classification:** This product is not approved for use in Canada. WHMIS classification is not determined.

**SECTION 16: OTHER**

**Disclaimer:** The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

**Revision Date:** July 29, 2013      **Supersedes document dated:** Not applicable – new document

**Sections Revised:** Not applicable – new document