



# Material Safety Data Sheet

## Dow AgroSciences LLC

**Product Name:** Surveil V Herbicide

**Issue Date:** 12/20/2013

**Print Date:** 20 Dec 2013

Dow AgroSciences LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

## 1. Product and Company Identification

### Product Name

Surveil V Herbicide

### COMPANY IDENTIFICATION

Dow AgroSciences LLC  
A Subsidiary of The Dow Chemical Company  
9330 Zionsville Road  
Indianapolis, IN 46268-1189  
United States

Customer Information Number:

800-992-5994

[SDSQuestion@dow.com](mailto:SDSQuestion@dow.com)

### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:**

800-992-5994

**Local Emergency Contact:**

352-323-3500

## 2. Hazards Identification

### Emergency Overview

**Color:** light brown

**Physical State:** Granules.

**Odor:** slight

**Hazards of product:**

CAUTION! May cause eye irritation. Isolate area. Slipping hazard.

### OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Potential Health Effects

**Eye Contact:** May cause slight eye irritation. Solid or dust may cause irritation or corneal injury due to mechanical action.

**Skin Contact:** Brief contact may cause slight skin irritation with local redness.

**Skin Absorption:** Prolonged skin contact is unlikely to result in absorption of harmful amounts.

**Inhalation:** No adverse effects are anticipated from single exposure to dust. Dust may cause irritation to upper respiratory tract (nose and throat).

**Ingestion:** Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

**Aspiration hazard:** Based on physical properties, not likely to be an aspiration hazard.

**Effects of Repeated Exposure:** For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Kidney. Liver.

**Birth Defects/Developmental Effects:** For the active ingredient(s): Has caused birth defects in laboratory animals at doses nontoxic to the mother. Has been toxic to the fetus in lab animals at doses nontoxic to the mother.

**Reproductive Effects:** In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

### 3. Composition Information

Component	CAS #	Amount
Flumioxazin	103361-09-7	51.0 %
Kaolin	1332-58-7	16.0 %
Balance	Not available	33.0 %

### 4. First-aid measures

#### Description of first aid measures

**General advice:** If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin Contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

**Eye Contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**Ingestion:** No emergency medical treatment necessary.

#### Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

#### Indication of immediate medical attention and special treatment needed

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

### 5. Fire Fighting Measures

#### Suitable extinguishing media

This material does not burn. If exposed to fire from another source, use suitable extinguishing agent for that fire.

### **Special hazards arising from the substance or mixture**

**Hazardous Combustion Products:** Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Nitrogen-containing compounds. Fluorine. Carbon monoxide.

**Unusual Fire and Explosion Hazards:** In a fire situation, residue can burn.

#### **Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. This material does not burn. Fight fire for other material that is burning.

**Special Protective Equipment for Firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

## **6. Accidental Release Measures**

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

## **7. Handling and Storage**

### **Handling**

**General Handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing dust or mist. Wash thoroughly after handling. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

### **Storage**

Store in a dry place. Store in original container. Do not store near food, foodstuffs, drugs or potable water supplies.

## 8. Exposure Controls / Personal Protection

### Exposure Limits

Component	List	Type	Value
Kaolin	ACGIH	TWA Respirable fraction.	2 mg/m <sup>3</sup> The value is for particulate matter containing no asbestos and <1% crystalline silica.
	OSHA Table Z-1	PEL Respirable fraction.	5 mg/m <sup>3</sup>
	OSHA Table Z-1	PEL Total dust.	15 mg/m <sup>3</sup>

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### Personal Protection

**Eye/Face Protection:** Use safety glasses (with side shields). If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

**Skin Protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Hand protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Respiratory Protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In dusty or misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

**Ingestion:** Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

### Engineering Controls

**Ventilation:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

## 9. Physical and Chemical Properties

### Appearance

**Physical State**

Granules.

**Color**

light brown

**Odor**

slight

**pH**

5.4 *Vendor* (1% aqueous suspension)

**Melting Point**

*Vendor* Not applicable

**Freezing Point**

Not applicable

<b>Boiling Point (760 mmHg)</b>	Not applicable.
<b>Flash Point - Closed Cup</b>	<i>Vendor</i> Not applicable
<b>Flammability (solid, gas)</b>	No data available
<b>Flammable Limits In Air</b>	<b>Lower:</b> Not applicable <b>Upper:</b> Not applicable
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density (air = 1)</b>	Not applicable
<b>Specific Gravity (H2O = 1)</b>	Not applicable
<b>Solubility in water (by weight)</b>	<i>Vendor</i> Dispersible
<b>Partition coefficient, n-octanol/water (log Pow)</b>	No data available for this product. See Section 12 for individual component data.
<b>Autoignition Temperature</b>	No test data available
<b>Decomposition Temperature</b>	No test data available
<b>Explosive properties</b>	no data available
<b>Oxidizing properties</b>	no data available
<b>Bulk Density</b>	490 kg/m <sup>3</sup> <i>Vendor</i>

## 10. Stability and Reactivity

### Reactivity

No dangerous reaction known under conditions of normal use.

### Chemical stability

Hygroscopic. Thermally stable at recommended temperatures and pressures.

### Possibility of hazardous reactions

Polymerization will not occur.

**Conditions to Avoid:** Exposure to elevated temperatures can cause product to decompose. Avoid moisture. Avoid direct sunlight.

**Incompatible Materials:** Avoid contact with: Nitrates. Peroxides.

### Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

## 11. Toxicological Information

### Acute Toxicity

#### Ingestion

For similar material(s): LD50, rat > 5,000 mg/kg

#### Dermal

For similar material(s): LD50, rabbit > 2,000 mg/kg

#### Inhalation

For similar material(s): LC50, 4 h, Dust, rat > 0.969 mg/l

Maximum attainable concentration. No deaths occurred at this concentration.

### Eye damage/eye irritation

May cause slight eye irritation. Solid or dust may cause irritation or corneal injury due to mechanical action.

### Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

### Sensitization

### **Skin**

For the active ingredient(s): Did not cause allergic skin reactions when tested in guinea pigs.

### **Respiratory**

No relevant data found.

### **Repeated Dose Toxicity**

For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Kidney. Liver.

### **Chronic Toxicity and Carcinogenicity**

For the active ingredient(s): Did not cause cancer in laboratory animals.

### **Developmental Toxicity**

For the active ingredient(s): Has caused birth defects in laboratory animals at doses nontoxic to the mother. Has been toxic to the fetus in lab animals at doses nontoxic to the mother.

### **Reproductive Toxicity**

In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

### **Genetic Toxicology**

For the active ingredient(s): In vitro genetic toxicity studies were predominantly negative. Animal genetic toxicity studies were negative.

## **12. Ecological Information**

### **Toxicity**

#### Data for Component: **Flumioxazin**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

#### **Fish Acute & Prolonged Toxicity**

LC50, *Oncorhynchus mykiss* (rainbow trout), 96 h: 2.7 mg/l

#### **Aquatic Invertebrate Acute Toxicity**

EC50, *Daphnia magna* (Water flea), 48 h: 5.9 mg/l

LC50, saltwater mysid *Mysidopsis bahia*, 96 h: 0.23 mg/l

#### **Aquatic Plant Toxicity**

EC50, *Pseudokirchneriella subcapitata* (green algae), 72 h: 0.000852 mg/l

EC50, *Lemna gibba*, 14 d: 0.00035 mg/l

#### **Fish Chronic Toxicity Value (ChV)**

*Oncorhynchus mykiss* (rainbow trout), 21 d, NOEC: 0.37 mg/l

#### **Aquatic Invertebrates Chronic Toxicity Value**

*Daphnia magna* (Water flea), 21 d, NOEC: 0.057 mg/l

#### **Toxicity to Above Ground Organisms**

oral LD50, *Colinus virginianus* (Bobwhite quail): > 2250 mg/kg bodyweight.

dietary LC50, *Colinus virginianus* (Bobwhite quail): > 5620 mg/kg diet.

oral LD50, *Apis mellifera* (bees): > 100 ug/bee

contact LD50, *Apis mellifera* (bees): > 105 ug/bee

#### **Toxicity to Soil Dwelling Organisms**

LC50, *Eisenia fetida* (earthworms), 14 d: > 982 mg/kg

#### Data for Component: **Kaolin**

Not expected to be acutely toxic to aquatic organisms.

## Persistence and Degradability

### Data for Component: Flumioxazin

Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

### Data for Component: Kaolin

Biodegradation is not applicable.

## Bioaccumulative potential

### Data for Component: Flumioxazin

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient, n-octanol/water (log Pow):** 2.55

### Data for Component: Kaolin

**Bioaccumulation:** Partitioning from water to n-octanol is not applicable.

## Mobility in soil

### Data for Component: Flumioxazin

**Mobility in soil:** Potential for mobility in soil is low (Koc between 500 and 2000).

**Partition coefficient, soil organic carbon/water (Koc):** 739 - 983

**Mobility in soil:** No relevant data found.

## 13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## 14. Transport Information

### **DOT Non-Bulk**

NOT REGULATED

### **DOT Bulk**

NOT REGULATED

### **IMDG**

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S.

**Technical Name:** Flumioxazin

**Hazard Class:** 9 **ID Number:** UN3077 **Packing Group:** PG III

**EMS Number:** F-A,S-F

**Marine pollutant:** Yes

**ICAO/IATA**

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S.

**Technical Name:** Flumioxazin

**Hazard Class:** 9 **ID Number:** UN3077 **Packing Group:** PG III

**Cargo Packing Instruction:** 956

**Passenger Packing Instruction:** 956

**Additional Information**

MARINE POLLUTANT

*This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.*

**15. Regulatory Information**

**OSHA Hazard Communication Standard**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312**

<b>Immediate (Acute) Health Hazard</b>	No
<b>Delayed (Chronic) Health Hazard</b>	No
<b>Fire Hazard</b>	No
<b>Reactive Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313**

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

**Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:**

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

<b>Component</b>	<b>CAS #</b>	<b>Amount</b>
Kaolin	1332-58-7	16.0%

**Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:**

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

**California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)**

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

**Toxic Substances Control Act (TSCA)**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

## 16. Other Information

### Hazard Rating System

NFPA                      Health                      Fire                      Reactivity  
   1                                      0                                      0

### Revision

Identification Number: 1072551 / 1016 / Issue Date 12/20/2013 / Version: 1.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

*Dow AgroSciences LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.*

**Product Name:** Cloransulam-Methyl 84PCT

**Issue Date:** 03/01/2013  
**Print Date:** 20 Dec 2013

Dow AgroSciences LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

## 1. Product and Company Identification

### Product Name

Cloransulam-Methyl 84PCT

### COMPANY IDENTIFICATION

Dow AgroSciences LLC  
A Subsidiary of The Dow Chemical Company  
9330 Zionsville Road  
Indianapolis, IN 46268-1189  
United States

Customer Information Number:

800-992-5994  
[SDSQuestion@dow.com](mailto:SDSQuestion@dow.com)

### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:**  
**Local Emergency Contact:**

800-992-5994  
352-323-3500

## 2. Hazards Identification

### Emergency Overview

**Color:** Brown

**Physical State:** Granules.

**Odor:** Sweet

### Hazards of product:

CAUTION! May cause eye irritation. May cause skin irritation. Isolate area. Toxic fumes may be released in fire situations. Highly toxic to fish and/or other aquatic organisms. Possible cancer hazard. May cause cancer based on animal data.

### OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Potential Health Effects

**Eye Contact:** May cause slight temporary eye irritation. Corneal injury is unlikely.

**Skin Contact:** Brief contact may cause slight skin irritation with local redness.

**Skin Absorption:** Prolonged skin contact is unlikely to result in absorption of harmful amounts.

**Inhalation:** No adverse effects are anticipated from single exposure to dust. Vapors are unlikely due to physical properties.

**Ingestion:** Very low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

**Aspiration hazard:** Based on physical properties, not likely to be an aspiration hazard.

**Effects of Repeated Exposure:** For the active ingredient(s): In animals, effects have been reported on the following organs: Kidney. Liver. Testes. Thyroid.

**Cancer Information:** For the minor component(s): Methylene chloride has been shown to increase the incidence of malignant tumors in mice and benign tumors in rats. Other animal studies, as well as several human epidemiology studies, failed to show a tumorigenic response. Methylene chloride is not believed to pose a measurable carcinogenic risk to man when handled as recommended. Studies have shown that tumors observed in mice are unique to that species.

### 3. Composition Information

Component	CAS #	Amount
Cloransulam-methyl	147150-35-4	84.0 %
Starch	9005-25-8	>= 2.5 - <= 3.4 %
Dichloromethane (methylene chloride)	75-09-2	0.4 %
Balance	Not available	>= 12.2 - <= 13.1 %

### 4. First-aid measures

#### Description of first aid measures

**General advice:** First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin Contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

**Eye Contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

#### Indication of immediate medical attention and special treatment needed

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

## 5. Fire Fighting Measures

### Suitable extinguishing media

Water. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers.

### Special hazards arising from the substance or mixture

**Hazardous Combustion Products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Sulfur oxides. Nitrogen oxides. Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Container may rupture from gas generation in a fire situation.

### Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Soak thoroughly with water to cool and prevent re-ignition. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Move container from fire area if this is possible without hazard. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special Protective Equipment for Firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

## 6. Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

## 7. Handling and Storage

### Handling

**General Handling:** Keep out of reach of children. Do not swallow. Avoid breathing dust or mist. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

## Storage

Store in a dry place. Store in original container. Do not store near food, foodstuffs, drugs or potable water supplies.

## 8. Exposure Controls / Personal Protection

### Exposure Limits

Component	List	Type	Value
Starch	ACGIH	TWA	10 mg/m <sup>3</sup>
	OSHA Table Z-1	PEL Respirable fraction.	5 mg/m <sup>3</sup>
	OSHA Table Z-1	PEL Total dust.	15 mg/m <sup>3</sup>
Dichloromethane (methylene chloride)	ACGIH	TWA	50 ppm BEI
	OSHA	TWA	25 ppm SKIN
	OSHA	STEL	125 ppm SKIN
	OSHA	Action Level	12.5 ppm SKIN
Cloransulam-methyl	Dow IHG	TWA	3 mg/m <sup>3</sup>

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

A BEI notation following the exposure guideline refers to a guidance value for assessing biological monitoring results as an indicator of the uptake of a substance from all routes of exposures.

### Personal Protection

**Eye/Face Protection:** Use safety glasses (with side shields).

**Skin Protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Hand protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Respiratory Protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, in dusty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: Particulate filter.

**Ingestion:** Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

### Engineering Controls

**Ventilation:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

## 9. Physical and Chemical Properties

<b>Appearance</b>	
<b>Physical State</b>	Granules.
<b>Color</b>	Brown
<b>Odor</b>	Sweet
<b>Odor Threshold</b>	No test data available
<b>pH</b>	7.05 (@ 10.0 %) <i>pH Electrode</i>
<b>Melting Point</b>	No test data available
<b>Freezing Point</b>	Not applicable
<b>Boiling Point (760 mmHg)</b>	Not applicable.
<b>Flash Point - Closed Cup</b>	Not applicable
<b>Evaporation Rate (Butyl Acetate = 1)</b>	Not applicable
<b>Flammable Limits In Air</b>	<b>Lower:</b> Not applicable <b>Upper:</b> Not applicable
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density (air = 1)</b>	Not applicable
<b>Specific Gravity (H<sub>2</sub>O = 1)</b>	No test data available
<b>Solubility in water (by weight)</b>	No test data available
<b>Partition coefficient, n-octanol/water (log Pow)</b>	No data available for this product. See Section 12 for individual component data.
<b>Autoignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	No test data available
<b>Dynamic Viscosity</b>	No test data available
<b>Bulk Density</b>	0.549 g/ml <i>Loose Volumetric</i> (Room Temperature)

## 10. Stability and Reactivity

### Reactivity

No dangerous reaction known under conditions of normal use.

### Chemical stability

Thermally stable at typical use temperatures.

### Possibility of hazardous reactions

Polymerization will not occur.

**Conditions to Avoid:** Product decomposes above melting temperature. Generation of gas during decomposition can cause pressure in closed systems. Avoid direct sunlight.

**Incompatible Materials:** Avoid contact with: Oxidizers.

### Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen chloride. Hydrogen fluoride. Nitrogen oxides. Sulfur oxides. Toxic gases are released during decomposition.

## 11. Toxicological Information

### Acute Toxicity

#### Ingestion

As product: LD50, rat, male and female > 5,000 mg/kg  
No deaths occurred at this concentration.

#### Dermal

As product: LD50, rabbit > 2,000 mg/kg  
No deaths occurred at this concentration.

#### Inhalation

As product: The LC50 has not been determined.  
For the active ingredient(s): Maximum attainable concentration. LC50, 4 h, Aerosol > 3.77 mg/l  
No deaths occurred following exposure to a saturated atmosphere.

#### Eye damage/eye irritation

May cause slight temporary eye irritation. Corneal injury is unlikely.

#### Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

#### Sensitization

##### Skin

Did not cause allergic skin reactions when tested in guinea pigs.

##### Respiratory

No relevant data found.

### Repeated Dose Toxicity

Repeated exposure did not produce systemic toxicity when applied to the skin of rabbits. For the active ingredient(s): In animals, effects have been reported on the following organs: Kidney. Liver. Testes. Thyroid.

### Chronic Toxicity and Carcinogenicity

Active ingredient did not cause cancer in laboratory animals. For the minor component(s): Methylene chloride has been shown to increase the incidence of malignant tumors in mice and benign tumors in rats. Other animal studies, as well as several human epidemiology studies, failed to show a tumorigenic response. Methylene chloride is not believed to pose a measurable carcinogenic risk to man when handled as recommended. Studies have shown that tumors observed in mice are unique to that species.

#### Carcinogenicity Classifications:

Component	List	Classification
Dichloromethane (methylene chloride)	ACGIH	Confirmed animal carcinogen with unknown relevance to humans.; Group A3
	NTP	Anticipated carcinogen.
	OSHA	Potential cancer hazard.
	IARC	Possibly carcinogenic to humans.; 2B

### Developmental Toxicity

For the active ingredient(s): Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

### Reproductive Toxicity

In animal studies, active ingredient did not interfere with reproduction.

### Genetic Toxicology

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

## 12. Ecological Information

### Toxicity

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

### Fish Acute & Prolonged Toxicity

LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 h: > 45.8 mg/l

### Aquatic Plant Toxicity

ErC50, Pseudokirchneriella subcapitata (green algae), 72 h: > 0.0066 mg/l

### Toxicity to Above Ground Organisms

oral LD50, Colinus virginianus (Bobwhite quail): > 2662 mg/kg bodyweight.

oral LD50, Apis mellifera (bees): > 221 ug/bee

contact LD50, Apis mellifera (bees): > 200 ug/bee

### Toxicity to Soil Dwelling Organisms

LC50, Eisenia fetida (earthworms): > 2,000 mg/kg

### Persistence and Degradability

#### Data for Component: **Cloransulam-methyl**

Surface photodegradation is expected with exposure to sunlight. Material is not readily biodegradable according to OECD/EEC guidelines. Biodegradation rate may increase in soil and/or water with acclimation.

#### Stability in Water (1/2-life):

335.34 d; 2.39E-01 l/m<sub>2</sub>.s; 25 °C; pH 7; Estimated.

#### Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
1.082E-11 cm <sup>3</sup> /s	11.86 h	Estimated.

#### Data for Component: **Starch**

Biodegradation may occur under aerobic conditions (in the presence of oxygen).

#### Data for Component: **Dichloromethane (methylene chloride)**

Biodegradation may occur under aerobic conditions (in the presence of oxygen). Biodegradation rate may increase in soil and/or water with acclimation.

#### OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
66 %	50 h	Simulation study	Not applicable

#### Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
1.3E-13 cm <sup>3</sup> /s	79 - 110 d	Estimated.

Theoretical Oxygen Demand: 0.38 mg/mg

### Bioaccumulative potential

#### Data for Component: **Cloransulam-methyl**

Partition coefficient, n-octanol/water (log Pow): 1.12 Measured

Bioconcentration Factor (BCF): 23.97; Estimated.

#### Data for Component: **Starch**

**Bioaccumulation:** No bioconcentration is expected because of the relatively high molecular weight (MW greater than 1000).

Data for Component: **Dichloromethane (methylene chloride)**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient, n-octanol/water (log Pow):** 1.25 Measured

**Bioconcentration Factor (BCF):** 2 - 40; Fish; Measured

### Mobility in soil

Data for Component: **Cloransulam-methyl**

**Partition coefficient, soil organic carbon/water (Koc):** 12 - 262 Measured

**Henry's Law Constant (H):** 9.467E-13 atm\*m3/mole; 25 °C Estimated.

Data for Component: **Starch**

**Mobility in soil:** No relevant data found.

Data for Component: **Dichloromethane (methylene chloride)**

**Mobility in soil:** Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient, soil organic carbon/water (Koc):** 46.8 Estimated.

**Henry's Law Constant (H):** 3.98E+02 Pa\*m3/mole. Calculated

## 13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## 14. Transport Information

### DOT Non-Bulk

NOT REGULATED

### DOT Bulk

NOT REGULATED

### IMDG

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

**Technical Name:** Cloransulam-methyl

**Hazard Class:** 9 **ID Number:** UN3077 **Packing Group:** PG III

**EMS Number:** f-a,s-f

**Marine pollutant.:** Yes

### ICAO/IATA

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.

**Technical Name:** Cloransulam-methyl

**Hazard Class:** CLASS 9 **ID Number:** UN3077 **Packing Group:** PG III

**Cargo Packing Instruction:** 956

**Passenger Packing Instruction:** 956

**Additional Information**

## MARINE POLLUTANT

*This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.*

### 15. Regulatory Information

#### OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	No
Delayed (Chronic) Health Hazard	Yes
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

#### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product contains the following substances which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and which are listed in 40 CFR 372.

Component	CAS #	Amount
Dichloromethane (methylene chloride)	75-09-2	0.4%

#### Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

Component	CAS #	Amount
Starch	9005-25-8	>= 2.5 - <= 3.4 %

#### Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

The following product components are cited in the Pennsylvania Special Hazardous Substance List, and are present at levels which require reporting.

Component	CAS #	Amount
Dichloromethane (methylene chloride)	75-09-2	0.4%

#### Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This product contains the following substances which are subject to CERCLA Section 103 reporting requirements and which are listed in 40 CFR 302.4.

Component	CAS #	Amount
Dichloromethane (methylene chloride)	75-09-2	0.4%



# Material Safety Data Sheet

## Dow AgroSciences LLC

### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

### US. Toxic Substances Control Act

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

## 16. Other Information

### Hazard Rating System

NFPA	Health	Fire	Reactivity
	1	0	1

### Revision

Identification Number: 50877 / 1016 / Issue Date 03/01/2013 / Version: 2.1

DAS Code: NAF-75

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

*Dow AgroSciences LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.*