



Northwest Agri Products

MATERIAL SAFETY DATA SHEET -May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. 1200. Standard must be consulted for specific requirements.

Product Name: Steric K
Product ID # 322

SECTION I MANUFACTURER'S INFORMATION

Manufacturer's Name And Address: Verdesian Life Sciences LLC, 12222 Ave 352, Visalia, CA 93291
Emergency Telephone Number: 1-800-424-9300
Number for Information: 1-800-868-6446
Date Prepared: May 24, 2002

SECTION II HAZARDOUS INGREDIENTS


Material Component Hazard Data: None % ACGIH TLV Exposure Limits in Air OSHA PEL

\*\*Toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Re authorization Act of 1986 and 40 CFR Part 372.

Other: Proprietary formulation

SECTION III PHYSICAL DATA

Boiling Point, 760mm Hg 100°C Melting Point N/A
Specific Gravity 1.11 Vapor Pressure Not Known
Vapor Density(AIR=1) Not Known Solubility in H2O, % By Wt. Approx. 98%
% Volatiles By Vol. Not Known Evaporation Rate Not Known
Appearance & Odor Tan
pH 3.1



SECTION IV FIRE AND EXPLOSION DATA

Flash Point (Test Method): N/A
Auto Ignition Temperature: N/A
Flammable Limits in Air,% By Vol. Lower - N/A Upper - N/A
Extinguishing Media: N/A
Special Firefighting Procedures: N/A
Unusual Fire and Explosion Hazard: N/A

SECTION V HEALTH HAZARD INFORMATION

Symptoms of Overexposure

Inhalation: May cause respiratory tract irritation, nausea, vomiting, weakness, fever, chills and loss of appetite. Chronic exposure may cause pneumonia, liver damage and neurologic damage.
Skin Contact: May cause skin irritation.
Skin Absorption: No known symptoms.
Eye Contact: May cause eye irritation.
Ingestion: May result in nausea, vomiting, diarrhea, blood in vomitus and stools, burning pain in the mouth and throat, abdominal pain, lethargy, confusion, edema, leukocytosis, hypergly-cemia, acidosis, shock, liver and kidney damage, and other gastrointestinal and neurologic symptoms and damage. Ingestion by a child of more than 60 ml. (2 oz.) or by an adult of more than 150 ml. (5 oz.) may be fatal.

Emergency First Aid Procedures

Eyes: Immediately flush with water for 15 minutes, lifting eyelids to flush thoroughly.
Skin: Wash thoroughly with water.
Inhalation: Remove to fresh air. If breathing is difficult, contact a physician.
Ingestion: Drink large quantities of water or milk. Follow with milk of magnesia, beaten eggs or vegetable oil. Do not induce vomiting. Contact a physician.

Suspected Cancer Agent? [X] No \_\_\_ Yes

This products ingredients are not found in the lists below.
\_\_\_ Federal OSHA \_\_\_NTP \_\_\_IARC \_\_\_ Cal/OSHA
Medical Conditions Aggravated by Exposure - Hemchromatosis.

SECTION VI REACTIVITY DATA

