

Firestone Building Products Company, LLC

Material Safety Data Sheet

January 4, 2012

Page: 1

SECTION 1: PRODUCT IDENTIFICATION

Product Name: Firestone ArmourSeal
Chemical Name / Synonym: Polymer Compound
Chemical Family: Polymer
24-Hour Emergency Phone: (800) 424-9300 CHEMTREC
Manufacturer's Name: Firestone Building Products Company, LLC
Manufacturer's Address: 250 West 96th Street, Indianapolis, IN 46260
NFPA Hazard Rating: Health 1, Flammability 1, Reactivity 0
HMIS Hazard Rating: Health 0, Flammability 1, Reactivity 0

SECTION 2: CHEMICAL COMPOSITION

Chemical Name:	Common Name:	CAS #:	% (by wt)	Exposure Limits:
Nonhazardous as per 29 CFR 1910.1200.	None	None	100	None Established

SECTION 3: HAZARD IDENTIFICATION

Primary Route of Exposure: None
Signs and Symptoms of Exposure: No known adverse effects expected. Eye contact can cause irritation, redness, tearing and possibly blurred vision, effects associated with mechanical irritation.
Medical Conditions Aggravated by Exposure: None known.
Chronic Effects: No known adverse effects.
Carcinogenicity: None

SECTION 4: FIRST AID MEASURES

First Aid Procedures: No special action necessary. Flush eyes with large amounts of water in the event of eye contact to rid of the effects associated with mechanical irritation.

SECTION 5: FIRE FIGHTING PROCEDURES

Suitable Extinguishing Media: Carbon dioxide, foam, sand/earth, or dry chemicals.
Hazardous Combustion Products: Carbon dioxide, carbon monoxide, oxides of nitrogen, partially burned carbon and irritating smoke.
Recommended Fire Fighting Procedures: Wear impermeable protective clothing and self-contained breathing apparatus. Toxic fumes and vapors may be evolved.
Unusual Fire and Explosion Hazards: None known.

Firestone Building Products Company, LLC

Material Safety Data Sheet

January 4, 2012

Page: 2

SECTION 6: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled:	Not Applicable
Precautions to Be Taken in Handling and Storing:	Do not store at temperatures above 130° F. A cool dry area is best.

SECTION 7: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation:	Store and use in well ventilated areas.
Respiratory Protection:	None required.
Eye Protection:	None required.
Skin Protection:	None required.
Other:	None.
Work / Hygienic Practices:	Wash exposed skin prior to eating, drinking or smoking and at the end of each shift. Wash contaminated clothing prior to reuse.

SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Black sheet with slight odor.		
Flash Point:	>450° F	Lower Explosive Limit:	Not Applicable
Method Used:	Not Applicable	Upper Explosive Limit:	Not Applicable
Evaporation Rate:	Not Applicable	Boiling Point:	Not Applicable
pH (undiluted product):	Not Applicable	Melting Point:	Unknown
Solubility in Water:	Negligible	Specific Gravity:	1.36
Vapor Density:	Not Applicable	Percent Volatile:	Unknown
Vapor Pressure:	Not Applicable		

SECTION 9: STABILITY AND REACTIVITY

Thermal Stability:	Stable
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	Heat, sparks, and open flames.

SECTION 10: TRANSPORTATION

Regulatory Agency:	Not Regulated
Proper Shipping Name:	Not Applicable
Hazard Classification:	Not Applicable
Identification Number:	Not Applicable
Labels Required:	Not Applicable
Other Requirements:	Not Applicable

Firestone Building Products Company, LLC
Material Safety Data Sheet

January 4, 2012

Page: 3

SECTION 11: MISCELLANEOUS INFORMATION

Additional Comments:	This product is considered to be a finished article as per 29 CFR 1910.1200 (C) and is, therefore, exempt from the requirements of the Hazard Communication standard.
Date of Previous MSDS:	February 9, 2009
Changes Since Previous MSDS:	Review only.
Telephone Number for Additional Information:	(317) 575-7190

DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.