

## Safety Data Sheet

## Firestone Building Products Company

### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name**

- SA-Water Based (WB) Primer, Enverge™ Water Based Primer, SBEPPro™ WB Primer, V-Force™ WB Primer

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)**
- Construction

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer**

- Firestone Building Products Company  
250 West 96th Street  
Indianapolis, IN 46260  
United States

firestonemsds@bfdp.com

**Telephone (General)** • 800-428-4442

#### 1.4 Emergency telephone number

**Manufacturer**

- (800) 424-9300 - CHEMTREC

**Manufacturer**

- (703) 527-3887 - CHEMTREC - International

### Section 2: Hazards Identification

#### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]  
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

- CLP** • Not classified  
**DSD/DPD** • Not classified

#### 2.2 Label Elements

- CLP**  
**Hazard statements** • No label element(s) required  
**DSD/DPD**  
**Risk phrases** • No label element(s) required

#### 2.3 Other Hazards

- CLP** • According to Regulation (EC) No. 1272/2008 (CLP) this material is not considered hazardous.  
**DSD/DPD** • This product is not considered dangerous under the European Directive 1999/45/EC

#### United States (US)

According to OSHA 29 CFR 1910.1200 HCS

## 2.1 Classification of the substance or mixture

OSHA HCS 2012

- Reproductive Toxicity 2 - H361  
Specific Target Organ Toxicity Single Exposure 1 - H370

## 2.2 Label elements

OSHA HCS 2012

**DANGER**



- Hazard statements**
- Suspected of damaging fertility or the unborn child. - H361  
Causes damage to organs - Kidney - H370

### Precautionary statements

- Prevention**
- Obtain special instructions before use. - P201  
Do not handle until all safety precautions have been read and understood. - P202  
Wash thoroughly after handling. - P264  
Do not eat, drink or smoke when using this product. - P270  
Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response**
- Specific treatment, see supplemental first aid information. - P321  
IF exposed or concerned: Get medical advice/attention. - P308+P313
- Storage/Disposal**
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

## 2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

According to WHMIS

## 2.1 Classification of the substance or mixture

WHMIS

- Toxic - D1B  
Other Toxic Effects - D2A

## 2.2 Label elements

WHMIS



- Toxic - D1B  
Other Toxic Effects - D2A

## 2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

See Section 12 for Ecological Information.

## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance.

## 3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Ethylene glycol	CAS:107-21-1 EC Number:203-473-3	0.1% TO 1%	Ingestion/Oral-Rat LD50 • 4700 mg/kg Skin-Rabbit LD50 • 9530 µL/kg	EU DSD/DPD: Annex I: Xn; R22 EU CLP: Annex VI: Acute Tox. 4, H302 OSHA HCS 2012: Eye Irrit. 2A; Repr. 2; STOT SE 3: Resp. Irrit. & Narc.; STOT SE 1 (Kidney)	NDA

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

#### Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If irritation develops and persists, get medical attention.

#### Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

#### Ingestion

- Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

#### Suitable Extinguishing Media

- Foam, CO2 powder, sand, chemical powder.

#### Unsuitable Extinguishing Media

- No data available.

### 5.2 Special hazards arising from the substance or mixture

#### Unusual Fire and Explosion Hazards

- Non flammable water-based product. Concentration of alcohols is too low to create a fire hazard.

#### Hazardous Combustion Products

- Irritating and/or toxic gases or fumes such as CO, CO2 may be generated by thermal decomposition or combustion of the product.

### 5.3 Advice for firefighters

- Structural firefighters' protective clothing will only provide limited protection. Wear positive pressure self-contained breathing apparatus (SCBA).  
LARGE FIRES: Cool containers with flooding quantities of water until well after fire is out.  
LARGE FIRES: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

SMALL FIRES: Move containers from fire area if you can do it without risk.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE) Avoid breathing mist, vapours, spray. Avoid contact with skin and eyes.
- Emergency Procedures**
- Keep unauthorized personnel away. Stay upwind. Stop leak if you can do it without risk.

### 6.2 Environmental precautions

- Avoid release to the environment.

### 6.3 Methods and material for containment and cleaning up

- Containment/Clean-up Measures**
- Stop leak if you can do it without risk.  
SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.  
LARGE SPILLS: Dike far ahead of liquid spill for later disposal.  
Wash contaminated area with soap and water to prevent slips.

### 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

- Handling**
- Use only with adequate ventilation. Wear appropriate personal protective equipment. Avoid breathing mist, vapours, spray. Avoid contact with skin and eyes. Do not ingest. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

### 7.2 Conditions for safe storage, including any incompatibilities

- Storage**
- Keep container tightly closed. Store in a cool/low-temperature, well-ventilated place away from heat and ignition sources. Do not store at temperatures lower than 5°C or over than 90°C.

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Alberta	Canada British Columbia	Canada Manitoba	Canada New Brunswick
Ethylene glycol (107-21-1)	Ceilings	100 mg/m <sup>3</sup> Ceiling (aerosol only)	100 mg/m <sup>3</sup> Ceiling	100 mg/m <sup>3</sup> Ceiling (aerosol); 50 ppm Ceiling (vapour)	100 mg/m <sup>3</sup> Ceiling (aerosol only)	100 mg/m <sup>3</sup> Ceiling (aerosol)
	STELs	Not established	Not established	20 mg/m <sup>3</sup> STEL (particulate)	Not established	Not established
	TWAs	Not established	Not established	10 mg/m <sup>3</sup> TWA (particulate)	Not established	Not established

Exposure Limits/Guidelines (Con't.)						
	Result	Canada Northwest Territories	Canada Nova Scotia	Canada Nunavut	Canada Ontario	Canada Quebec
Ethylene glycol (107-21-1)	Ceilings	50 ppm Ceiling (vapour); 127 mg/m3 Ceiling (vapour)	100 mg/m3 Ceiling (aerosol only)	50 ppm Ceiling (vapour); 127 mg/m3 Ceiling (vapour)	100 mg/m3 Ceiling (aerosol only)	50 ppm Ceiling (mist and vapour); 127 mg/m3 Ceiling (mist and vapour)
	STELs	20 mg/m3 STEL (particulate)	Not established	20 mg/m3 STEL (particulate)	Not established	Not established
	TWAs	10 ppm TWA (particulate)	Not established	10 mg/m3 TWA (particulate)	Not established	Not established

Exposure Limits/Guidelines (Con't.)						
	Result	Canada Yukon	Cyprus	Denmark	Germany DFG	Germany TRGS
Ethylene glycol (107-21-1)	TWAs	10 mg/m3 TWA (particulate); 100 ppm TWA (vapour); 250 mg/m3 TWA (vapour)	20 ppm TWA; 52 mg/m3 TWA	10 ppm TWA; 26 mg/m3 TWA; 10 mg/m3 TWA (vapor)	Not established	10 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 26 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)
	STELs	10 ppm STEL (particulate); 20 mg/m3 STEL (particulate); 125 ppm STEL (vapour); 325 mg/m3 STEL (vapour)	40 ppm STEL; 104 mg/m3 STEL	Not established	Not established	Not established
	Ceilings	Not established	Not established	Not established	20 ppm Peak; 52 mg/m3 Peak	Not established
	MAKs	Not established	Not established	Not established	10 ppm TWA MAK; 26 mg/m3 TWA MAK	Not established

**Exposure Control Notations**

**Cyprus**

•Ethylene glycol (107-21-1): **Skin:** (Skin-potential for cutaneous absorption)

**Germany TRGS**

•Ethylene glycol (107-21-1): **Skin:** (skin notation)

**Germany DFG**

•Ethylene glycol (107-21-1): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to) | **Skin:** (skin notation)

**8.2 Exposure controls**

**Engineering Measures/Controls**

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Personal Protective Equipment**

**Respiratory**

- Minimize breathing mist/vapor/spray. In case of insufficient ventilation, wear suitable



- Avoid excessive freezing and heat.

## 10.5 Incompatible materials

- Solution or acid emulsion.

## 10.6 Hazardous decomposition products

- Carbon monoxide, carbon dioxide, nitrogen and sulphur oxide.

# Section 11 - Toxicological Information

## 11.1 Information on toxicological effects

Component Name	CAS	Data
Ethylene glycol (0.1% TO 1%)	107-21-1	<b>Acute Toxicity:</b> ihl-hmn TCLo:22 mg/m3; <b>Irritation:</b> eye-rbt 1440 mg/6H MOD; skn-rbt 555 mg open MLD; <b>Reproductive:</b> ihl-mus TCLo:2100 mg/m3/6H (6-15D preg)
GHS Properties		Classification
<b>Acute toxicity</b>		EU/CLP • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met
<b>Aspiration Hazard</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Carcinogenicity</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Germ Cell Mutagenicity</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Skin corrosion/Irritation</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Skin sensitization</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>STOT-RE</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>STOT-SE</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 1
<b>Toxicity for Reproduction</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Toxic to Reproduction 2
<b>Respiratory sensitization</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Serious eye damage/Irritation</b>		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met

### Target Organs

- Kidney

### Route(s) of entry/exposure

- Inhalation, Skin, Eye, Ingestion

### Potential Health Effects

#### Inhalation

##### Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

- Chronic (Delayed)**
  - No data available.
- Skin**
- Acute (Immediate)**
  - Under normal conditions of use, no health effects are expected.
- Chronic (Delayed)**
  - No data available.
- Eye**
- Acute (Immediate)**
  - Under normal conditions of use, no health effects are expected.
- Chronic (Delayed)**
  - No data available.
- Ingestion**
- Acute (Immediate)**
  - Ethylene glycol can cause nausea, vomiting, abdominal pain and weakness, as well as drunkenness, dizziness, stupor, convulsions and coma (symptoms of depression of the central nervous system). Death could result from respiratory arrest or cardiovascular collapse. In humans, a dose of 100 ml may cause death. If the victim survives, kidney failure may develop within the next several days. In some instances, vision disturbances have been reported. The persistence of these lesions could not be determined.
- Chronic (Delayed)**
  - No data available.
- Other**
- Acute (Immediate)**
  - May affect the kidney.
- Reproductive Effects**
  - May cause adverse reproductive effects - such as birth defects, miscarriages or infertility based on animal data.

**Key to abbreviations**

MLD = Mild

TC = Toxic Concentration

## Section 12 - Ecological Information

### 12.1 Toxicity

- Material data lacking.

### 12.2 Persistence and degradability

- Material data lacking.

### 12.3 Bioaccumulative potential

- Material data lacking.

### 12.4 Mobility in Soil

- Material data lacking.

### 12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

### 12.6 Other adverse effects

- No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

**Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

international regulations.

**Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
ADN	NDA	Not Regulated	NDA	NDA	NDA
ADR/RID	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

14.6 Special precautions for user • None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • Not relevant.

**Section 15 - Regulatory Information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

SARA Hazard Classifications • Acute

State Right To Know				
Component	CAS	MA	NJ	PA
Ethylene glycol	107-21-1	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Ethylene glycol	107-21-1	Yes	No	Yes	No	Yes

**Belgium****Labor**

Belgium - Substances and Preparations - Carcinogens and Mutagens

• Ethylene glycol 107-21-1 Not Listed

**Bulgaria****Environment**

Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - 24 Hour

• Ethylene glycol 107-21-1 Not Listed

Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - 30 Minute

• Ethylene glycol 107-21-1 Not Listed

Bulgaria - Air Quality - Maximum Admissible Hazardous Contaminant Levels - Annual

• Ethylene glycol 107-21-1 Not Listed

## Canada

### Labor

#### Canada - WHMIS - Classifications of Substances

- Ethylene glycol 107-21-1 D1B, D2A

#### Canada - WHMIS - Ingredient Disclosure List

- Ethylene glycol 107-21-1 1 %

### Environment

#### Canada - 2004 NPRI (National Pollutant Release Inventory)

- Ethylene glycol 107-21-1 Part 1, Group 1 Substance

#### Canada - 2005 NPRI (National Pollutant Release Inventory)

- Ethylene glycol 107-21-1 Part 1, Group 1 Substance

#### Canada - CEPA - Greenhouse Gases Subject to Mandatory Reporting

- Ethylene glycol 107-21-1 Not Listed

#### Canada - CEPA - Priority Substances List

- Ethylene glycol 107-21-1 Priority Substance List 2 (substance not considered toxic)

#### Canada - DWQ (Drinking Water Quality) - IMACs

- Ethylene glycol 107-21-1 Not Listed

### Other

#### Canada - Accelerated Reduction/Elimination of Toxics (ARET)

- Ethylene glycol 107-21-1 Not Listed

## Canada New Brunswick

### Environment

#### Canada - New Brunswick - Ozone Depleting Substances - Schedule A

- Ethylene glycol 107-21-1 Not Listed

#### Canada - New Brunswick - Ozone Depleting Substances - Schedule B

- Ethylene glycol 107-21-1 Not Listed

## Denmark

### Environment

#### Denmark - List of Undesirable Substances - Product Groups/Function

- Ethylene glycol 107-21-1 Not Listed

## Europe

### Other

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

- Ethylene glycol 107-21-1 Xn; R22

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

- Ethylene glycol 107-21-1 Not Listed

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Ethylene glycol	107-21-1	Xn R:22 S:(2)
<b>EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations</b>		
• Ethylene glycol	107-21-1	Not Listed
<b>EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases</b>		
• Ethylene glycol	107-21-1	S:(2)

## Germany

### Labor

#### Germany - Immission Control - Qualifying Quantities for Major Accident Prevention

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - Immission Control - Qualifying Quantities for Safety Reporting

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - TRGS 505 - Specific Lead Regulations

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - TRGS 511 - Specific Ammonium Nitrate Regulations

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

### Environment

#### Germany - TA Luft - Types and Classes

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - TA Luft - Emission Limits for Carcinogenic Substances

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - TA Luft - Emission Limits for Fibers

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - TA Luft - Emission Limits for Inorganic Dusts

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - TA Luft - Emission Limits for Inorganic Gases

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - TA Luft - Emission Limits for Organic Substances

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - Water Classification (VwVwS) - Annex 1

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

#### Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Ethylene glycol	107-21-1	ID Number 105, hazard class 1 - low hazard to waters (footnote 11)
-------------------	----------	--

#### Germany - Water Classification (VwVwS) - Annex 3

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

## United States

**Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - OSHA - Specifically Regulated Chemicals**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Ethylene glycol	107-21-1	
-------------------	----------	--

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Ethylene glycol	107-21-1	5000 lb final RQ; 2270 kg final RQ
-------------------	----------	------------------------------------

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Ethylene glycol	107-21-1	1.0 % de minimis concentration
-------------------	----------	--------------------------------

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**United States - California****Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - California - Proposition 65 - Developmental Toxicity**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Ethylene glycol	107-21-1	Not Listed
-------------------	----------	------------

**United States - Pennsylvania****Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Ethylene glycol	107-21-1	
<b>U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances</b>		
• Ethylene glycol	107-21-1	Not Listed

## 15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

## Section 16 - Other Information

### Relevant Phrases (code & full text)

- H302 - Harmful if swallowed
- R22 - Harmful if swallowed.

### Last Revision Date

- 14/February/2014

### Preparation Date

- 20/May/2013

### Disclaimer/Statement of Liability

- The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

### Key to abbreviations

NDA = No data available