

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET**PRODUCT NAME:** Gigi Pre Hon**DATE:** 11/24/2004**FORMULA:** 30-5430**REV.** NEW**Section 1. Material Identification and Information****Hazardous Ingredients:**

Component	CAS #	%	TOXICOLOGICAL DATA
Isopropyl Alcohol	67-63-0	12%	ACGIH TLV/TWA: 400 ppm OSHA PEL/TWA: 400 ppm

Section 2. Physical / Chemical Characteristics

Boiling Point:	N/A	Specific Gravity:	0.99
Vapor Pressure:	Not Determined	(@ 25°C)	
(mm Hg and Temperature)		Melting Point:	N/A
Vapor Density:	Not Determined	Evaporation Rate:	N/A
(Air = 1)		Water Reactive:	N/A
Solubility in Water:	Soluble	pH:	6.5
Appearance:	Clear Brown Viscous Liquid	(@ 25°C)	
Odor:	Characteristic		

Section 3. Fire and Explosion Hazard Data

Flash Point and Method Used:	55.0°F (CC) for Ethanol
Auto-Ignition Temperature:	N/A
Flammability Limits in Air % by Volume:	LEL: 3.3% for Ethanol UEL: 19.0% for Ethanol
Extinguisher Media:	All standard fire fighting media.
Special Fire Fighting Procedures:	If leak/spill hasn't ignited, use water spray to disperse vapors and protect people attempting to stop the leak. Water spray may be used to flush spills away from exposure and to dilute spills to non-flammable mixtures. In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece in pressure demand or other positive pressure mode. Water can be used to extinguish flames and cool fire-exposed containers.
Unusual Fire and Explosion Hazards:	Above flash point, vapor-air mixtures are explosive. Vapors can flow along surfaces to ignition sources and flash back. Sealed containers may rupture when heated. Sensitive to static discharge.

Section 4. Reactivity Hazard Data**Stability:** ☒ Stable ☐ Unstable

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET**PRODUCT NAME:** Gigi Pre Hon**DATE:** 11/24/2004**FORMULA:** 30-5430**REV.** NEW**Conditions to Avoid:** Keep away from heat, sparks and flame. Avoid any source of ignition.**Incompatibility (Materials to Avoid):**

None

Hazardous Decomposition:

Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization:☐ May Occur☒ Will Not Occur**Section 5. Health Hazard Data****Primary Routes of Entry:**☒ Inhalation☒ Skin Absorption☐ Ingestion☒ Eye Contact**Carcinogen Listed In:**☐ NTP☐ IARC Monograph☐ OSHA☒ Not Listed**Health Hazards (Acute & Chronic):**

Eye Contact: Liquid and vapor may cause irritation. May cause temporary pain and blurred vision.

Skin Contact: May cause irritation, cracking, flaking, and defatting of skin on prolonged contact.

Inhalation: May cause irritation to the mucous membranes of the upper respiratory tract. Overexposure may cause headache, drowsiness, lassitude, loss of appetite, inability to concentrate, throat irritation.

Ingestion: Can cause depression of Central Nervous System, nausea, vomiting, diarrhea, intoxication, and in acute cases, death.

Signs and Symptoms of Exposure:

Headache, drowsiness, lassitude, loss of appetite, inability to concentrate, irritation of throat/eye/skin, depression of Central Nervous System, nausea, vomiting, diarrhea, skin defatting.

Medical Conditions Generally Aggravated by Exposure:

People with pre-existing skin disorders, eye problems, or impaired kidney or liver function may be more susceptible to effects.

Emergency First Aid Procedures:

Eye Contact: Eye should be flushed for at least 15 minutes. Get medical attention if irritation develops or persists.

Skin Contact: Remove contaminated clothing. Immediately flush area with plenty of cool water. Get medical attention if irritation develops or persists.

Inhalation: Immediately remove to fresh air. If victim has stopped breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

Ingestion: Conscious or able to swallow -- have victim drink water or milk to dilute. NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS OR CONVULSING. Call doctor or Poison Control immediately. Induce

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET**PRODUCT NAME:** Gigi Pre Hon**DATE:** 11/24/2004**FORMULA:** 30-5430**REV.** NEW**Section 6. Control and Protective Measures****Respiratory Protections (Specific Type):**

Not applicable under normal conditions

Protective Gloves: Not required.**Eye Protection:** Safety goggles.**Ventilation to be Used:**☒ Local Exhaust☐ Other (Specify)**Other Protective Clothing and Equipment:**

Eyewash and safety shower.

Hygienic Work Practices:

Good Manufacturing Practices.

Section 7. Precautions for Safe Handling and Use / Leak Procedures**Steps to be Taken if Material is Spilled or Released:**

For small spills, flush with water, wipe, and dry. Cover spills with sand/dirt and contain in absorbent material and dispose.

Waste Disposal Methods:

Dispose of in accordance with your local, state, and federal regulations.

Precautions to be taken in Handling and Storing:

Store at room temperature.

Other Precautions and/or Special Hazards:

None