SAFETY DATA SHEET



Issuing Date 18-Jun-2013 Revision Date 18-Jun-2013 Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Cold Spray

Other means of identification

Product Code(s) 033627, 033632

UN-Number UN 1950

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Spray on skin for temporary cooling

Uses advised against No information available

Supplier's details

Supplier Address Cramer Products, Inc. 153 W. Warren Gardner, KS 66030

TEL: 913.856.7511

Emergency telephone number

Emergency Telephone

913.856.7511

Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Simple Asphyxiant	Yes
Flammable aerosols	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Hazard Statements

Danger

- May displace oxygen and cause rapid suffocation
- Extremely flammable aerosol



Appearance Clear

Physical State Aerosol.

Odor None

Precautionary Statements

Prevention

- · Keep away from heat/sparks/open flames/hot surfaces No smoking
- Do not spray on an open flame or other ignition source
- Pressurized container: Do not pierce or burn, even after use
- · Wear protective gloves
- · Wear eye/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area

General Advice

None

Storage

- Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
- Store in a well-ventilated place. Keep container tightly closed

Disposal

• Dispose of in accordance with local/regional/national regulations.

Hazard Not Otherwise Classified (HNOC)

May cause frostbite.

Other information

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Petroleum gases, liquified, sweetened	68476-86-8	60-100	*
Isopropyl alcohol	67-63-0	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. In case of contact with liquefied gas, thaw frosted parts with lukewarm water. If

symptoms persist, call a physician.

Inhalation Move to fresh air. Administer oxygen if breathing is difficult and you are trained. If breathing

is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a physician or Poison Control Center

immediately.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to an unconscious person. Consult a physician.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Difficulty in breathing. Frostbite.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion Data

Sensitivity to Mechanical Impact Yes.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Take precautionary measures against static discharges. All

equipment used when handling the product must be grounded. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment. Do not breathe vapors or spray mist. Do not get in eyes, on

skin, or on clothing. Contents under pressure. Do not puncture or incinerate cans.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Take up mechanically and collect in suitable

container for disposal. Ground and bond containers when transferring material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Contents under pressure. Do not puncture or incinerate cans. Keep away from open

flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Wear personal protective equipment. Ensure adequate ventilation. Do not

breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition. Keep away from direct sunlight.

Incompatible Products Strong oxidizing agents. Acids. Acid anhydrides. Aluminum. Halogenated compounds.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 980 mg/m ³
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection Tightly fitting safety goggles. If splashes are likely to occur, wear: Face-shield.

Impervious gloves. Impervious clothing. Boots.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and

clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Aerosol Appearance Clear

Odor None Odor Threshold No information available

Property Values Remarks/ - Method

 pH
 No data available
 None known

 Melting Point/Range
 No data available
 None known

Boiling Point/Boiling Range No data available None known **Flash Point** No data available None known No data available **Evaporation rate** None known No data available Flammability (solid, gas) None known Flammability Limits in Air upper flammability limit No data available lower flammability limit No data available No data available **Vapor Pressure** None known **Vapor Density** No data available None known None known No data available **Relative Density Specific Gravity** No data available. None known Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Extremely flammable.

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Keep away from direct sunlight.

Incompatible materials

Strong oxidizing agents. Acids. Acid anhydrides. Aluminum. Halogenated compounds.

Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product InformationNo acute toxicity information is available for this product. Description of possible hazardous

to health effects is based on experience and/or toxicological characteristics of several

ingredients.

Inhalation Deliberately inhaling or exposure to high concentrations may cause simple asphyxiation

(suffocation by displacing the oxygen in the air).

Eye Contact May cause irritation.

Skin Contact Contact with product may cause frostbite.

Ingestion Not an expected route of exposure. May be harmful if swallowed.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl alcohol	= 4396 mg/kg (Rat)	12800 mg/kg (Rat)	72.6 mg/L (Rat)4 h
		12870 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans
OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

Acute Toxicity No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Isopropyl alcohol	EC50 96 h: > 1000 mg/L	LC50 96 h: = 11130 mg/L		EC50 48 h: = 13299 mg/L
	(Desmodesmus	static (Pimephales		(Daphnia magna)
	subspicatus) EC50 72 h: >	promelas)		
	1000 mg/L (Desmodesmus	LC50 96 h: = 9640 mg/L		
	subspicatus)	flow-through (Pimephales		
		promelas)		
		LC50 96 h: > 1400000 µg/L		
		(Lepomis macrochirus)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
Petroleum gases, liquified, sweetened	2.8
Isopropyl alcohol	0.05

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Do not re-use empty containers.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl alcohol	Toxic
	Ignitable

14. TRANSPORT INFORMATION

Note: Limited quantity

DOT

UN-Number UN 1950

Proper shipping name Aerosols, flammable, n.o.s.

Hazard Class 2.1

15. REGULATORY INFORMATION

International Inventories

TSCA Exempt
DSL Exempt

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	1.5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard
Chronic Health Hazard
No
Fire Hazard
Sudden Release of Pressure Hazard
Reactive Hazard
No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Isopropyl alcohol	X	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

		16. OTHER INFORM	IATION	
NFPA	Health Hazard 1	Flammability 4	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 1	Flammability 4	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date18-Jun-2013Revision Date18-Jun-2013Revision NoteInitial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
