



MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

1. PRODUCT IDENTIFICATION

1.1	Product Name: RAW EARTH - FOOT BUFF
1.2	Chemical Name: CRYSTALLINE MIXTURE
1.3	Synonyms: NA
1.4	Trade Names: NA
1.5	Product Use: COSMETIC USE ONLY
1.6	Manufacturer's Name: CREATIVE NAIL DESIGN, INC.
1.7	Manufacturer's Address: 1125 JOSHUA WAY, VISTA, CA USA 92081
1.8	Emergency Phone: ROCKY MOUNTAIN POISON CONTROL CENTER: 303-623-5716
1.9	Business Phone: 800-833-NAIL (6245), 760-599-2900

2. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)					
					ACGIH		OSHA			OTHER
					TLV ppm	STEL ppm	PEL ppm	STEL ppm	IDLH ppm	
CITRIC ACID	77-92-9	GE7350000	201-069-1	≤ 30.0	NE	NE	NE	NE	NE	
HELIANTHUS ANNUUS OIL	68956-68-3	YX1850000	273-313-5	≤ 25.0	NE	NE	NE	NE	NE	
SUCROSE	57-50-1	WN6500000	200-334-9	≤ 20.0	(10)	NA	(5)	NA	NA	RESP DUST
CALCIUM OXIDE	1305-78-8	EW3100000	215-138-9	≤ 15.0	(2)	NA	(5)	NA	NA	RESP DUST
MACADAMIA TERNIFOLIA OIL	159518-86-2	NA	NA	≤ 10.0	NE	NE	NE	NE	NE	
PEG-7 GLYCERYL COCOATE	68201-46-7	MA6870000	NA	≤ 2.0	NE	NE	NE	NE	NE	
METHYLPARABEN	99-76-3	DH2450000	202-785-7	< 1.0	NE	NE	NE	NE	NE	
BUTYLPARABEN	94-26-8	DH1980000	202-318-7	< 1.0	NE	NE	NE	NE	NE	
PROPYLPARABEN	94-13-3	DH2800000	202-307-7	< 1.0	NE	NE	NE	NE	NE	
ETHYLPARABEN	120-47-8	DH2190000	204-399-4	< 1.0	NE	NE	NE	NE	NE	
OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION				BAL	THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS					

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used
NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2003 format.



MATERIAL SAFETY DATA SHEET

Page 2 of 7
CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

3. HAZARD IDENTIFICATION

3.1	Hazard Identification: NA						
3.2	Routes of Entry:	Inhalation:	NO	Absorption:	YES	Ingestion:	YES
3.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting, and/or diarrhea. SKIN & EYES: Mildly irritating to eyes. May be irritating to skin on sensitive individuals. INHALATION: Inhalation is very unlikely.						
3.4	Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering.						
3.5	Acute Health Effects: Mild irritation to eyes and skin near affected areas.						
3.6	Chronic Health Effects: No chronic health effects are known.						
3.7	Target Organs: Eyes and skin.						

4. FIRST AID MEASURES

4.1	First Aid: INGESTION: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact Rocky Mountain Poison Control at 303-623-5716 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. EYES & SKIN: Splashes are not likely; however, if product gets into the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If irritation occurs, contact a physician. If irritation occurs when product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with warm water and soap. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, contact a physician immediately. INHALATION: Remove victim to fresh air at once.						
4.2	Medical Conditions Aggravated by Exposure: None known.				HEALTH	1	
					FLAMMABILITY	0	
					REACTIVITY	0	
					PROTECTIVE EQUIPMENT		



MATERIAL SAFETY DATA SHEET

Page 3 of 7
CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

5. FIREFIGHTING MEASURES

5.1	Flashpoint & Method: Non-flammable.
5.2	Autoignition Temperature: NA
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA
5.4	Fire & Explosion Hazards: This product is not flammable. If involved in a fire, this product may decompose to produce carbon oxides and nitrogen oxides.
5.5	Extinguishing Methods: Water, CO₂, Halon, Dry Chemical
5.6	Firefighting Procedures: This product is not flammable. If involved in a fire, emergency responders should wear eye protection and SCBAs and other protective equipment. If possible, prevent runoff water from entering storm drains, waterways or environmentally-sensitive areas. Wash contaminated clothing and equipment with warm water and soap, followed by rinse before returning to service.



6. ACCIDENTAL RELEASE MEASURES

6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
-----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices: Follow normal hygiene practices. Do not eat, drink or smoke while handling product.
7.2	Storage & Handling: Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Product is water reactive. Keep away from all sources of moisture. Store away from incompatible materials (see Section 10, Stability and Reactivity). Inspect all incoming containers before storage to ensure containers are properly labeled and not damaged.
7.3	Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.



MATERIAL SAFETY DATA SHEET

Page 4 of 7
CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station or washbasin is available in case of exposure to eyes.
8.2	Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized in U.S. Federal OSHA's 29 CFR 1910.134, applicable U.S. State regulations, or the appropriate standards of Canada, its Provinces, E.C. member States, or Australia.
8.3	Eye Protection: None required under normal conditions of use. Avoid eye contact. Eye contact may cause irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), safety glasses with side shields should be used.
8.4	Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.
8.5	Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	NE
9.2	Boiling Point:	NE
9.3	Melting Point:	NE
9.4	Evaporation Rate:	NE
9.5	Vapor Pressure:	NE
9.6	Molecular Weight:	NE
9.7	Appearance & Color:	Light, almond colored crystalline/oil mixture with fragrant odor
9.8	Odor Threshold:	NE
9.9	Solubility:	Mostly soluble in water
9.10	pH	3.1
9.11	Viscosity:	NE
9.12	Other Information:	NA

10. STABILITY & REACTIVITY

10.1	Stability:	Stable under dry ambient conditions when stored properly (see Section 7, Storage and Handling).
10.2	Hazardous Decomposition Products:	NA
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Exposure to water or other sources of moisture or contact with extreme temperatures, strong light sources or incompatible materials.
10.5	Incompatible Substances:	This product is incompatible with strong oxidizers (e.g., peroxide compounds), bases (e.g., potassium hydroxide), strong acids (e.g., nitric acid), cationic materials, heavy metal salts, and water reactive materials.



MATERIAL SAFETY DATA SHEET

Page 5 of 7
CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.
11.2	Acute Toxicity:	See Section 3.5
11.3	Chronic Toxicity:	See Section 3.6
11.4	Suspected Carcinogen:	NE
11.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product:	Can irritate skin and eyes in some sensitive individuals.
11.7	Biological Exposure Indices:	NE
11.8	Physician Recommendations:	Treat symptomatically.

12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.
12.2	Effects on Plants & Animals:	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	There is no specific data available for this product.

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Dispose in accordance with Federal, state and local regulations.
13.2	Special Considerations:	NA

14. TRANSPORTATION INFORMATION

The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED



MATERIAL SAFETY DATA SHEET

Page 6 of 7
CND-N-113

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements: NA
15.2	SARA Threshold Planning Quantity: NA
15.3	TSCA Inventory Status: The components of this product are listed on the TSCA inventory.
15.4	CERCLA Reportable Quantity (RQ): NA
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information: No components of this product are listed on the California Proposition 65 lists.
15.8	67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.

16. OTHER INFORMATION

16.1	Other Information: WARNING: Product is moisture reactive. Use only as directed. Do not use on sensitive areas of the body (i.e. face). Avoid eye contact. If contact occurs, flush eye thoroughly with running water for at least 15 minutes. Seek medical attention. If irritation develops, discontinue use immediately and thoroughly rinse affected area. Do not taste or swallow. If ingested, immediately seek medical attention. KEEP OUT OF REACH OF CHILDREN. May increase skin's sensitivity to sun. Use sunscreen and limit sun exposure when using this product.	
16.2	Terms & Definitions: See page 7 of this MSDS.	
16.3	Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.	
16.4	Prepared for: Creative Nail Design, Inc. 1125 Joshua Way Vista, CA 92081 800-833-NAIL (6245) phone 760-599-4005 fax http://www.creativenaildesign.com/	
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Blvd, Suite 201 Torrance, CA 90504 310-370-3600 phone 310-370-5700 fax http://www.shipmate.com/	



MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 07/15/2004

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health


FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
-----	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard




NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD ₁₀	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD ₁₀ , LD ₁₀ , & LD ₀ or TC, TC ₀ , LC ₁₀ , & LC ₀	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
CPR	Canadian Controlled Product Regulations

EC INFORMATION:

C	E	F	N	O	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

PERSONAL PROTECTION RATINGS:

A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for special handling directions.

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus