

Product name:	VERSOCIT-2 LIQUID	Page:	1/9
Revision Date:	2014-12-04	Print date:	2014-12-04
Document No.:	M0174	SDS-ID:	US-EN/8.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: VERSOCIT-2 LIQUID
Cat. No. 40200091, 40200089

Container size: 500 ml, 1 l

Relevant identified uses of the substance or mixture and uses advised against

Application: For embedding of materialographic specimens

Details of the supplier of the safety data sheet

Supplier: Struers A/S
Pederstrupvej 84
DK-2750 Ballerup
Tel:+45 44 600 800

Responsible for material safety data sheet authoring: Responsible for material safety data sheet authoring: DHI
Any questions to the contents of this material safety data sheet should be sent to:
Chemical.info@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:
1-800-535-5053
Struers US:
1-440-871-0071

SAFETY DATA SHEET

Product name: VERSOCIT-2 LIQUID Page: 2/9
Revision Date: 2014-12-04 Print date: 2014-12-04
Document No.: M0174 SDS-ID: US-EN/8.0

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

The product is classified:

67/548/EEC / 1999/45/EC: Rep1;R60 R43 Xi;R36/37/38

GHS: Skin Irrit. 2;H315 - Eye Irrit. 2;H319 - Skin Sens. 1;H317 - Repr. 1B;H360Df

Label elements



Danger

Contains:

Tetrahydrofurfuryl-2-methacrylate
2-Hydroxypropyl methacrylate

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H360Df

May damage the unborn child. Suspected of damaging fertility.

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P280

Wear protective clothing, gloves, eye and face protection.

P302 + P352

IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

P308 + P313

IF exposed or concerned: Get medical advice/attention.

NFPA Rating: Health:2 Fire:2 Reactivity:0 Other:-

Other hazards

PBT/vPvB:

Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: binders.

67/548/EEC:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
50-75	2455-24-5	219-529-5	-	Tetrahydrofurfuryl-2-methacrylate	Rep1;R60 Xi;R36/37/38	
25-50	27813-02-1	248-666-3	-	2-Hydroxypropyl methacrylate	R43 Xi;R36/38	
<2,5	99-97-8	202-805-4	-	N,N-Dimethyl-p-toluidine	T;R23/24/25 R33 R52-53	C

SAFETY DATA SHEET

Product name: VERSOCIT-2 LIQUID Page: 3/9
Revision Date: 2014-12-04 Print date: 2014-12-04
Document No.: M0174 SDS-ID: US-EN/8.0

GHS:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
50-75	2455-24-5	219-529-5	-	Tetrahydrofurfuryl-2-methacrylate	Repr. 1B;H360Df	
25-50	27813-02-1	248-666-3	-	2-Hydroxypropyl methacrylate	Skin Irrit. 2;H315 Eye Irrit. 2;H319 Skin Sens. 1;H317	
<2,5	99-97-8	202-805-4	-	N,N-Dimethyl-p-toluidine	Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT RE 2;H373 Aquatic Chronic 3;H412	C

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

Specific hazards: When heated and in case of fire, harmful vapors/gases may be formed.

Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SAFETY DATA SHEET

Product name:	VERSOCIT-2 LIQUID	Page:	4/9
Revision Date:	2014-12-04	Print date:	2014-12-04
Document No.:	M0174	SDS-ID:	US-EN/8.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of vapors and contact with skin and eyes.

Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with suitable absorbent material.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid inhalation of vapors and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimize contact.

Technical precautions: Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in closed original container in a dry place. Avoid contact with oxidizing agents. Keep away from food, drink and animal feeding stuffs.

Specific end use(s)

Specific use(s): Not relevant.

SAFETY DATA SHEET

Product name:	VERSOCIT-2 LIQUID	Page:	5/9
Revision Date:	2014-12-04	Print date:	2014-12-04
Document No.:	M0174	SDS-ID:	US-EN/8.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit assigned.

Exposure controls

<u>Engineering measures:</u>	Provide adequate ventilation. Provide easy access to water supply and eye wash facilities.
<u>Personal protection:</u>	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<u>Respiratory equipment:</u>	In case of inadequate ventilation use suitable respirator. Use respiratory equipment with combination filter, type A2/P2.
<u>Hand protection:</u>	Wear protective gloves. Butyl rubber gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
<u>Eye protection:</u>	Wear goggles/face shield.
<u>Skin protection:</u>	Wear appropriate clothing to prevent any possibility of skin contact.
<u>Hygiene measures:</u>	Wash contaminated clothing before reuse. When using do not eat, drink or smoke.
<u>Environmental Exposure Controls:</u>	Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

<u>Appearance:</u>	Colored liquid.
<u>Odor:</u>	Ester.
<u>pH:</u>	Not available.
<u>Boiling point:</u>	Not available.
<u>Flash point:</u>	91°C
<u>Explosion limits:</u>	Not available.
<u>Vapor pressure:</u>	0,1 hPa (20°C)
<u>Relative density:</u>	1,033
<u>Solubility:</u>	Insoluble in water
<u>Other information</u>	
<u>Other data:</u>	Volatile Organic Compound (VOC): 310 g/l (calculated)

SAFETY DATA SHEET

Product name: VERSOCIT-2 LIQUID
Revision Date: 2014-12-04
Document No.: M0174

Page: 6/9
Print date: 2014-12-04
SDS-ID: US-EN/8.0

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Reactivity: None known.

Chemical stability

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Avoid exposure to high temperatures or direct sunlight. Avoid contact with oxidizing agents.

Incompatible materials

Incompatible materials: None known.

Hazardous decomposition products

Hazardous decomposition products: None in particular.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhalation: May cause irritation to the respiratory system.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Eye contact: Causes serious eye irritation.

Ingestion: May irritate and cause malaise.

Specific effects: May damage the unborn child. Suspected of damaging fertility.

Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

OSHA: No.

SAFETY DATA SHEET

Product name:	VERSOCIT-2 LIQUID	Page:	7/9
Revision Date:	2014-12-04	Print date:	2014-12-04
Document No.:	M0174	SDS-ID:	US-EN/8.0

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity: The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

Persistence and degradability

Degradability: There are no data on the degradability of this product.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 16 05 08

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

UN number

UN-No: -

UN proper shipping name

Proper Shipping Name: -

Transport hazard class(es)

Class: -

Packing group

PG: -

Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

SAFETY DATA SHEET

Product name:	VERSOCIT-2 LIQUID	Page:	8/9
Revision Date:	2014-12-04	Print date:	2014-12-04
Document No.:	M0174	SDS-ID:	US-EN/8.0

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: TSCA: Listed. As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions. (*)

National regulation: Europe/USA:
This Material Safety Data Sheet has been prepared according to the EU-regulation.

Chemical Safety Assessment

CSA status: Not relevant.

SAFETY DATA SHEET

Product name: VERSOCIT-2 LIQUID Page: 9/9
Revision Date: 2014-12-04 Print date: 2014-12-04
Document No.: M0174 SDS-ID: US-EN/8.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 15.
The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

<u>Additional information:</u>	Classification according to Regulation (EC) No. 1272/2008: Calculation method.
<u>Wording of H-statements:</u>	
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R33	Danger of cumulative effects.
R36/38	Irritating to eyes and skin.
R36/37/38	Irritating to eyes, respiratory system and skin.
R43	May cause sensitisation by skin contact.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R60	May impair fertility.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
