



Material Safety Data Sheet

ProForm ® BRAND Fiberglass Mesh Tape

MSDS No: GB- 1206

Date: Page 1 of 5
December 27, 2010

1. PRODUCT AND COMPANY INFORMATION

Manufacturer Information:

National Gypsum Company
2001 Rexford Road
Charlotte, NC 28211

For Emergency Product Information Call:

Director Quality Services
(704) 551-5820 - 24 Hour Emergency Response
Website: www.nationalgypsum.com

Product Name: **ProForm ® BRAND Fiberglass Mesh Tape, 1.9" wide, self adhering**

Use: ProForm ® Fiberglass Mesh Tape is a self-adhering fiberglass mesh tape used to conceal and reinforce wallboard joints. It can be used with Quick Set, FasTrack, and other setting-type joint compounds.

2. HAZARDS IDENTIFICATION

Appearance and Odor: Coated woven fiberglass fabric with no odor.

Contains no asbestos. HMIS Hazard Class No. 1, 0, 0.

Emergency Overview

This product is not expected to produce any hazards during normal use. Dust generated during mechanical manipulation (sanding, cutting or abrading) may cause eye, nose or upper respiratory irritation with prolonged exposure.

OSHA Regulatory Status

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

2. HAZARDS IDENTIFICATION (CONTINUED)**Potential Health Effects**

Primary Routes of Entry: Inhalation, Dermal contact

Target Organs: Respiratory system, skin, eyes.

Inhalation: Acute exposure to high airborne dust concentrations may result in coughing, dyspnea, wheezing, or general irritation of the nose, throat, and upper respiratory tract.

Skin Contact: Continued and prolonged contact may cause some skin irritation.

Eye Contact: Direct contact of fibers or dust may cause mechanical irritation and/or itching.

Ingestion: No known adverse effects. May result in obstruction or temporary irritation of the digestive tract if ingested.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS-Number</u>	<u>Weight Percent</u>
Fiberglass textile Continuous filament glass fiber	65997-17-3	>99

4. FIRST AID MEASURES

- **Inhalation:** Remove exposed individual to fresh air immediately. If breathing difficulty persists, seek medical attention.
- **Skin:** Flush and wash skin with soap and water. Use a washcloth to help remove fibers. Utilize lotions to alleviate irritation, if present.
- **Eye:** Do not rub eyes. Immediately flush with water for 15 minutes. Remove contact lenses (if applicable). Seek medical attention if irritation persists.
- **Ingestion:** Not expected to occur. Seek medical attention if ingested.

5. FIRE FIGHTING MEASURES**General Fire Hazards**

- None known

Extinguishing media

- Dry chemical, foam, water, fog or spray

Protection of firefighters

- Standard protective equipment and precautions

Fire and Explosion Hazards

- None

Hazardous Combustion Products

- None. Thermal decomposition of coating may cause irritating smoke and vapor.

6. ACCIDENTAL RELEASE MEASURES

No special precautions.

General recommendations:

- Pick up to avoid tripping hazard.
- Fibers should be cleaned by vacuum or by a wet sweeping technique. Do not use compressed air. HEPA filter recommended.
- Waste material is not a hazardous waste. Dispose of in accordance with applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

- Avoid contact with eyes, skin and clothing.
- Wear recommended personal protective equipment when handling. (See Section 8)
- Minimize generation of dust.
- Store in a dry area away from direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	Exposure Limits	
	OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)
Continuous filament, glass fiber	15 ^(T) 5 ^(R)	10 ^(T) 5 ^(R)

T- Total Dust
 R- Respirable Dust

Engineering Controls

- Work/Hygiene Practices: Avoid generating dust.
- Ventilation: Provide local and general exhaust ventilation to maintain a dust level below the PEL/TLV.

Personal Protective Equipment

- Respiratory Protection: A NIOSH approved particulate respirator is recommended in poorly ventilated areas or if the PEL/TLV is exceeded. OSHA's 29 CFR 1910.134 (Respiratory Protection Standard) must be followed whenever work conditions require respirator use.
- Eye Protection: Safety glasses or goggles.
- Skin: Gloves, protective clothing and/or barrier creams may be utilized if conditions warrant.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Woven Glass Fabric
Odor: None
Physical State: Solid
Ph: Not Applicable
Solubility (H2O): Not Applicable
Boiling, Freezing, Melting Point: Not Applicable
Decomposition Temperature: Not Applicable
Vapor pressure: Not Applicable
Vapor density: Not Applicable
Volative organic compounds (VOC) content: None

Flammability: Not Applicable
Flash Point: Not Applicable
Upper/Lower explosive limits: Not applicable
Auto-ignition temperature: Not Applicable
Partition coefficient: n-octanol/water: Not applicable
Evaporation rate: Not Applicable
Molecular weight: Not Applicable
Molecular formula: Not Applicable
Specific Gravity: 2.5 (water = 1)
Bulk Density: Not Applicable

10. STABILITY AND REACTIVITY

Chemical stability: Stable in dry environments.
Conditions to avoid: None
Incompatibility: None
Hazardous decomposition: CO, CO₂, oxides of Nitrogen
Hazardous polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Direct prolonged contact may cause eye or skin irritation.

LD₅₀, LC₅₀: Not available

12. ECOLOGICAL INFORMATION

This product does not present an ecological hazard to the environment.

13. DISPOSAL CONSIDERATIONS

- Dispose of according to Local, State, Federal, and Provincial Environmental Regulations.
- Recycle if possible.

14. TRANSPORT INFORMATION

- This product is not a DOT hazardous material
- Shipping Name: Same as product name
- ICAO/IATA/IMO: Not applicable

15. REGULATORY INFORMATION

All ingredients are included on the TSCA inventory.

Federal Regulations

SARA Title III: Not listed under Sections 302, 304, and 313
CERCLA: Not listed
RCRA: Not listed
OSHA: Not listed

15. REGULATORY INFORMATION (CONTINUED)**Canada WHMIS**

All components of this product are included in the Canadian Domestic Substances List (DSL).

Not regulated – Manufactured Article

16. OTHER INFORMATION**MSDS Revision Summary: New Product****Key/Legend**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstract Services Number
CFR	Code of Federal Regulations
DOT	Department of Transportation
EPA	Environmental Protection Agency
HEPA	High Efficiency Particulate Air
HMIS	Hazardous Material Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMO	International Maritime Organization
NIOSH	National Institute for Occupational Safety and Health
NFPA	National Fire Protection Association
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
PPE	Personal Protective Equipment
TLV	Threshold Limit Value
TSCA	Toxic Substance Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein. This material safety data sheet was prepared to comply with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and with the Workplace Hazardous Materials Information System (WHMIS).

Disclaimer of Liability:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate, but all statements or suggestions are made without any warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material, or the results to be obtained for the use thereof.